



sabar scientific

ISO 9001 : 2008 CERTIFIED

taking care of
Chemical Reactions
since 1972

BOROSILICATE
LABORATORY GLASSWARE
PROCESS PLANTS &
SYSTEMS

www.sabarscientific.com





sabar scientific

Scientific equipments
and
borosilicate glassware
aligned for
Research

about us

We thank you very much for choosing us to fulfill your Scientific requirements.

Since 1972 in Process-Glass industry, we have the proven ability to manufacture any Glass Apparatus within customer's specifications. The company manufactures entire range of Scientific Glass equipments and undertakes their repairs job.

The company is having its well equipped work-shop with skilled Glass Blowers, backed by the qualified and experienced personnel in the field. Apart from manufacturing Glass equipments, the Company's activities also include Setting-up Laboratories, Installing and commissioning R & D and Pilot Plant assemblies / units for various Chemical processes / Reactions. The company also stocks and supplies general laboratory consumables to cater the needs of chemicals Laboratories.

Apart from Scientific Glass blown items, we have expanded our limits by entering into the area of Customised Process units, Decorative Glass articles, Glass-shell Candles and Designer Candle holders, Akhand Deep, Glass column home décor fountains etc.

We are sure, your association with us will take us to the next level of excellence. Ours is a fast growing group, our endeavor is to be the best in whatever we do, and to provide the best of services to our esteemed customers - our real business partners - our assets.

Rohit R. Bhise
Proprieter



*Bridging the gap between
Theory & Practical.*




An ISO 9001 : 2008 & "D-U-N-S"
Certified Company



Quality Policy

We, at Sabar Scientific, Commit ourselves for supplying products that would give complete satisfaction to our customers. We will strive to achieve growth and leading position in the market by:

- Supplying consistent Quality Products
- Complying the requirement and continuously Improve the effectiveness of our Quality Management System
- Creating an environment of Team work and Innovative approach.

CERTIFICATE OF REGISTRATION	
 ISOQAR	
This is to certify that the Management System of: Sabar Scientific I-148/B, Phase-II, GIDC Estate, Vatva, Ahmedabad-382 445, Gujarat, India has been approved by ISOQAR	
	
6632	
ISO 9001: 2008	
Scope of Activities:	
Manufacture, Supply and repairing of borosilicate laboratory glassware, scientific glass apparatus and glass process equipment (Mainly for R&D purpose)	
Certificate Number:	6632
Initial Registration Date:	8 January 2008
Re-issue Date:	7 January 2014
Expiry Date:	8 January 2017
Signed by: Steve Stuble, Operations Director (on behalf of ISOQAR)	
<small>This certificate will remain current subject to the company maintaining its system to the required standard. This will be monitored regularly by ISOQAR. Further clarification regarding the scope of this certificate and the applicability of the relevant standards' requirements may be obtained by consulting ISOQAR.</small>	
<small>ISOQAR Limited Cobra Court, 1 Blackmore Road, Stretford, Manchester M32 0QY T: +44 (0)161 865 3699 F: +44 (0)161 865 3685 E: enquires@isoqar.com www.isoqar.com This certificate is the property of ISOQAR and must be returned on request</small>	



This is to certify that
Sabar Scientific
I-148/B, Phase II, GIDC Estate, Vatva
Ahmedabad - 382 445, Gujarat, India
is now part of the
Dun & Bradstreet Global Database
and has been assigned the
D&B D-U-N-S® Number: 86-280-8270

For Dun & Bradstreet Information Services India Private Limited


Authorized Signatory

March 08, 2011

The fact that this business is registered in the D&B database should not be construed as suggesting that credit or any other financial or business transaction should be approved, denied, restricted or delayed. It only signifies that there is sufficient information in the database to assign a D&B D-U-N-S® Number.

D&B D-U-N-S® Number is a registered number of Dun & Bradstreet Corporation, USA.



sabar scientific

VISION

Our Vision is to bridge
the gap between
Theory and Practical.



MISSION



To equip our clients to perform safe,
by providing reliable and appropriate
means according to applications.
We ensure that our clients get desired
results through cost-effective solutions.

VALUES

Reliability : Provide Products
and services at sensible price.
Deliver beyond expectation to make
customer happy.

Growth : Help employees and
Vendors grow parallel with
the company to new heights.





sabar scientific



**Easy to use, safe to operate
and highly efficient water still in Borosilicate Glass
to suits your scientific research.**




- ▶ Designed for continuous operation, easy to use & clean, it produces Pyrogen free distilled water, using Ceramic block heater - covered with Quartz tube, housed in a horizontal Borosilicate Glass Boiler.
- ▶ Heater is fitted with a Thermostat which shuts off Power automatically in case of water supply failure.
- ▶ Boiler is provided with PTFE Screw Cock for easy draining of water from the boiler.
- ▶ Conductivity: 1 to 2 /cm.
- ▶ The results mentioned are obtained under standard laboratory conditions.
- ▶ Treated water / soft water is recommended to prevent scaling in the boiler and to improve the quality of distilled water.

**Single & Double Distillers from
1 to 10 Ltr. per hour output**



sabar scientific



GLASS JACKETED REACTOR SYSTEM mounted on stand with accessories



Borosilicate Glass Jacketed Reaction vessel : Available in sizes : 250 ml. to 100 Ltr.

- ▶ Jacketed Reactor – with Flush type bottom outlet Valve (PTFE Spindle)
- ▶ Multi – neck, Ground Joint Lid for Reactor
- ▶ Quick release coupling – to fix Reactor and Lid
- ▶ Glass / PTFE Stirrer shaft – with Stirrer guide
- ▶ Dropping Funnel / addition funnel
- ▶ Reflux condenser
- ▶ Stirrer drive PMDC geared motor, with D.C. drive with Digital RPM indicator
- ▶ Cryostat Circulator (Chilled water / Hot water circulator)
- ▶ Tubular supporting stand for Reactor mounting

FOR INQUIRY: ☎ +91 98250 23602 ✉ sales@sabarscientific.com

www.sabarscientific.com





sabar scientific

SECTION

1

INDEX

GLASSWARE

ADAPTERS

BEAKERS

BOTTLES

BURETTES

COLUMNS

CYLINDERS

DISHES

DEAN & STARK RECEIVERS

EXTRACTORS

FLASKS

FUNNELS

JACKETED REACTORS

PIPETTES


SINTERED GLASSWARE

TUBES

VACUUME GAUGES

STANDARD APARATUS

Healthy GLASSWARE for
Wealthy CHEMISTRY



A

ADAPTERS

Item Code	Item	Page No.
A 01	Reduction with Interchangeable Joints	013
A 02	Expansion - with Interchangeable Joints	013
A 03	Two way - Parallel	014
A 04	Three way- Parallel / Angled	014
A 05	Cone to Rubber Tubing - Straight (Take-off - Straight)	015
A 06	Cone to Rubber Tubing - Bend (Take-off - Bend)	015
A 07	Cone with Glass Stop-cock (Take-off with Stop-cock - Bend)	015
A 08	Vacuum Release Stop-cock (One Way)	016
A 09	Vacuum Release & Control Stop-cock (Two Way)	016
A 10	Recovery - Plain Bend	016
A 11	Recovery - Vertical	017
A 12	Recovery – Still head - Slopping	017
A 13	Recovery - Claisenhead - Slopping	018
A 14	Thermometer Pocket (Short) For Still heads / Claisenheads	018
A 15	Recovery – Splash head - Slopping	018
A 16	Recovery – Splash head - Vertical	019
A 17	Receiver - Plain Bend - Short	019
A 18	Receiver - Plain Bend - Long	019
A 19	Receiver - Plain Bend - Socket to Cone	020
A 20	Receiver - Bend with, with Vacuum Connection	020
A 21	Receiver - Bend with Multiple connection (Pig)	020
A 22	Receiver - Multi-limb, with Vacuum connection	021
A 23	Receiver Adapter for Multi-limb, Slopping delivery	021
A 24	Intermediate Receiver - PERKIN	021
A 25	Guard Tube / Drying Tube, with Ground Joint (Cone)	021
A 26	Guard Tube / Drying Tube, with connection for Rubber Tubing.	022
A 27	Intermediate Stop-cock adapter - Socket to Cone	022
A 28	Reflux - Ratio head (Reflux Divider), with Ball joint	022
A 29	Distillate receiver bend for Reflux Divider - with Stop-cock S.S.Clip for Ball & Cup Joints	022
A 30	Gas passing tubes for Reaction Flasks	023
A 31	Thermometer Pockets for Reaction Flasks	023
A 32	Dip pipe, Socket & Cone, with short pipe	024
A 33	Gas Bubbler (Commonly used as Nitrogen Bubbler)	024

B **BEAKERS, BOTTLES & BURETTES**

Item Code	Item	Page No.
BEAKERS		
B 01	Low form with Spout, Graduated	025
BOTTLES		
B 02	Reagent, Narrow mouth With Flat Head Stopper, Clear Glass.	025
B 03	Reagent, Narrow mouth with Flat Head Stopper, Amber Glass.	026
B 04	Reagent, Wide mouth with Screw cap, Clear Glass	026
B 05	Reagent, Wide mouth with Screw cap, Amber Glass	027
B 06	Aspirator, with outlet for Rubber Tubing	027
B 07	Aspirator, with Stop - cock and Glass Stopper, Clear Glass	027
B 08	Aspirator, with Stop - cock & Screw cap, wide mouth, Clear Glass	028
B 09	B.O.D. with stopper (Heavy Wall)	028
B 10	Relative Density (Specific Gravity) with PTFE stopper	028
B 11	Weighing - with Interchangeable Stopper	028
B 12	Specific gravity, with Thermometer (Pyknometer)	029
B 13	Dropping with Interchangeable dropper & rubber teat, Clear Glass.	029
B 14	Dropping with Interchangeable dropper & rubber teat, Amber Glass.	029
B 15	Gas washing with Interchangeable Stopper Using F.B.Flask	029
B 16	Stoppers (Trap heads) only for Gas washing bottles	030
B 17	F.B.Flask - only for Gas washing bottles	030
B 18	Gas washing with Interchangeable Stopper Using Bottles	030
B 19	Stoppers only for Gas washing bottles	030
B 20	Bottles only for Gas washing bottles	031
B 21	Gas Bubbling (Sealed Trap - One Piece)	031
B 22	Impingers - Graduated, for Air Sampling.	031
BURETTES		
B 23	Pinch cock & Jet, Class "B" Spare Pinch cock for Burettes	031
B 24	PTFE Rotaflow Stop - cock, Accuracy as per Class "A" With Certificate, Clear Glass.	032
B 25	PTFE Rotaflow cock, Class "B", Clear Glass.	032
B 26	Straight bore Glass Stop - cock, Accuracy as per Class "A" With Certificate, Clear Glass.	032



Item Code	Item	Page No.
B 27	Straight bore PTFE Solid Key Stop - cock, Accuracy as per Class "A" With Certificate, Clear Glass.	033
B 28	Straight bore PTFE Solid Key Stop - cock, Class "B", Clear Glass.	033
B 29	Automatic Zero, Mounted on reservoir with Straight bore Glass Stop - cock OR PTFE Rotaflow cock, Class "A" With Test Certificate, Clear Glass.	033
B 30	Automatic Zero, Mounted on reservoir with Straight bore Glass Stop - cock OR PTFE Rotaflow cock, Class "B", Clear Glass.	034
B 31	Reservoir Bottle only - for Auto. Burette	034
B 32	Rubber bulb for Auto burette	034
B 33	Straight bore Glass Stop - cock, Class "A", With Test Certificate, Amber Glass.	035
B 34	Straight bore Glass Stop - cock, Class "B", Amber Glass.	035
B 35	PTFE Rotaflow cock, Class "A", With Test Certificate, Amber Glass.	035
B 36	PTFE Rotaflow cock, Class "B", Amber Glass.	035
B 37	Straight bore PTFE Solid key Stop - cock, Class "A", With Test Certificate, Amber Glass.	036
B 38	Straight bore PTFE Solid Key Stop - cock, Class "B", Amber Glass.	036
B 39	Straight bore PTFE Solid Key Stop-cock, Class "B", Amber Glass.	036

C

COLUMNS, CONDENSERS & CYLINDERS

Item Code	Item	Page No.
COLUMNS		
C 01	Fractionating, Plain, with support for Rasching Rings (Medium Wall) Column Packing - Rasching Rings - Neutral Glass	037
C 02	Columns / Air Condensers (Light Wall)	038
C 03	Fractionating, Vigreux	039
C 04	Chromatography , Plain with outlet for Rubber Tubing	040
C 05	Chromatography , with Straight bore Glass Stop-cock / PTFE Rotaflow Stop-cock.	041
C 06	Chromatography , with PTFE Solid Key Stop-cock	042
C 07	Chromatography, with Reservoir & Straight bore Glass Stop-cock / PTFE Rotaflow Stop-cock.	044
C 08	Chromatography, with Reservoir & PTFE Solid Key Stop-cock	046

Item Code	Item	Page No.
C 09	Chromatography, with ground joint (Socket) on Top and Straight bore Glass Stop-cock / PTFE Rotaflow Stop-cock.	048
C 10	Chromatography, with ground joint (Socket) on Top and PTFE Solid key stop-cock	049
C 11	Chromatography, with Sintered Disc & Straight bore Glass Stop-cock / PTFE Rotaflow Stop-cock.Sintered Disc with Porosity Grade (G - 1, 2 or 3)	050
C 12	Chromatography , With Sintered Disc & PTFE Solid Key Stop-cock Sintered Disc with Porosity Grade (G - 1, 2 or 3)	051
C 13	Chromatography, With Sintered Disc, Reservoir & Straight bore Glass Stop-cock / PTFE Rotaflow Stop-cock. Sintered Disc with Porosity Grade (G - 1, 2 or 3)	052
C 14	Chromatography, With Sintered Disc, Reservoir & PTFE Solid Key Stop-cock Sintered Disc with Porosity Grade (G - 1, 2 or 3)	053
C 15	Chromatography, with ground joint (Socket) on Top, Sintered disc and Straight bore Glass Stop-cock / PTFE Rotaflow top-cock. Sintered Disc with Porosity Grade (G - 1, 2 or 3)	054
C 16	Chromatography, with ground joint (Socket) on Top, Sintered disc and PTFE Solid key stop-cock Sintered Disc with Porosity Grade (G - 1, 2 or 3)	055
C 17	Reservoir Flask for Chromatography Column, with Ground Joint bottom	056
C 18	Reservoir Flask for Chromatography Column - with long tube	056
C 19	Chromatography Sprayer with Rubber bellow	056
C 20	T.L.C. Chamber - Tall form with Flat Flange & Cover	057
C 21	Capillary Tubes for TLC - Extra fine, machine made. Pack of 100	057

CONDENSERS

C 22	Reflux (Air) with Cone - Vertical	057
C 23	Leibig with Cone & socket	058
C 24	Bulb (Allihn) with Cone & Socket	058
C 25	Double Surface (Devis) with Cone & Socket	059
C 26	Single Coil with Cone & Socket	060
C 27	Jacketed Coil with Cone & Socket	061
C 28	Coiled Distillate (Graham) with Cone & socket	062
C 29	Double Coil with Cone & socket	062
C 30	Vertical - for Water Distillation with Recovery tube	063

Item Code	Item	Page No.
CYLINDERS		
C 31	Nessler, colour comparison, Graduated, Flat bottom, Class "A" with Test Certificate.	063
C 32	Nessler, colour comparison, Graduated, Flat bottom, Class B.	063
C 33	Measuring, with I/C. Stopper, Round Base, Class "A", with Test Certificate.	064
C 34	Measuring, with I/C. Stopper (Round Base), Class B.	064
C 35	Measuring with I/C. Stopper, Hexagonal Base, Class "A", with Test Certificate.	065
C 36	Measuring, with I/C. Stopper, Hexagonal Base, Class B.	065
C 37	Measuring, with Pour out, Round Base, Class "A", with Test Certificate. Not Covered Under I.S.	066
C 38	Measuring, With Pour out, Round Base, Class B.	066
C 39	Measuring, with Pour out, Hexagonal Base, Class "A", with Test Certificate. Not Covered Under I.S.	067
C 40	Graduated With Pour out, Hexagonal Base, Class B	067
C 41	Crow Receiver, with Pour out, Round Base	068
C 42	Crow Receiver, with I/C. Stopper (Round Base), Class B	068

D

DISHES, DEAN & STARK

Item Code	Item	Page No.
D 01	Culture, Petri - Top & Bottom	069
D 02	Crystallizing, Flat bottom	069
D 03	Evaporating, with Pour out	069
D 04	Dean & Stark Receivers - For Moisture Estimation, with Stop-cock	070
D 05	Receivers for Estimation of Volatile Oils Lighter than Water (Clevenger type)	070
D 06	Receivers for Estimation of Volatile Oils Heavier than Water (Clevenger type)	071
D 07	Desiccators - with Cover, Knob Top (made from Hard Borosilicate Glass), with Porcelain perforated plate	071
D 08	Desiccators, Vacuum - with Cover, Stopper with Stop-cock (made from Hard Borosilicate Glass)	071

E **EXTRACTORS**

Item Code	Item	Page No.
E 01	Extraction Apparatus, Soxhlet - complete with allihn (Bulb) Condenser	072
E 02	Extractors only - for Extraction Apparatus	073
E 03	Condensers only - for Extraction Apparatus	073
E 04	Flask only - for Extraction Apparatus (Flat / Round bottom)	073

F **FLASKS & FUNNELS**

Itm. Code	Item	Page No.
F 01	Conical Narrow Mouth Graduated	074
F 02	Conical - Narrow mouth - Amber Glass	074
F 03	Conical, with Interchangable Joint & Stopper, Clear Glass.	075
F 04	Conical - Narrow mouth - Stoppered, Amber Glass	075
F 05	Conical - wide mouth - with Screw cap, Clear Glass	075
F 06	Conical - wide mouth - with Screw cap, Amber Glass	076
F 07	Baffled Conical Flask - For Microbiology, Clear Glass.	076
F 08	Iodine with interchangable stopper	076
F 09	Filtering, Heavy Wall, Bolt Neck, with Tube connection	077
F 10	Distillation ,Round bottom, with side tube	077
F 11	Kjeldahl, Round Bottom, Plain - Long neck	077
F 12	Kjeldahl, Round Bottom with Ground Joint	078
F 13	Pear shape, Short neck, with Ground Joint.	078
F 14	Volumetric, Clear Glass, Class "A", with Test Certificate,	078
F 15	Volumetric, Clear Glass, Class B	079
F 16	Volumetric, Amber Glass, Class "A", with Test Certificate,	079
F 17	Volumetric, Amber Glass, Class B	080
F 18	Round Bottom, Plain Neck	080
F 19	Flat Bottom, Plain Neck	081
F 20	Round Bottom, with Ground Joint, Single Neck	081
F 21	Round Bottom, with Ground Joint, Two Neck	082
F 22	Round Bottom, with Ground Joint, Three Neck	083

Item Code	Item	Page No.
F 23	Round Bottom, with Ground Joint, Four Neck	084
F 24	Round Bottom, with Ground Joint, Five Neck	084
F 25	Wide Mouth - Reaction Vessels Flat Flange - 100 mm I.D., 150 mm O.D.	085
F 26	Lids for Reaction Vessels , Flat Flange, 100 mm I.D., 150 mm O.D. S.S. Clip for Reaction Vessels PTFE Envelop gasket for Reaction Vessels	085
F 27	Reaction Kettles, Flat Flange	086
F 28	Lids for Reaction Kettles, Flat Flange - Multi neck	086
F 29	S.S. Clip for Reaction Vessels & Kettles	086
F 30	Rotavapour, with Ground Joint	087
F 31	Receiver for Rotavapour, with Cup Joint	087
F 32	Funnel - Filter, Plain - 60°	087
F 33	Funnel, Powder, Plain, Short steam	088
F 34	Funnel, Powder, with Ground Joint (Cone)	088
F 35	Funnels - Addition / Dropping , Open Top, Cylindrical with Straight Bore Glass Stop - cock OR PTFE Rotaflow Stop-cock.	089
F 36	Funnels - Addition / Dropping , Open Top, Cylindrical with PTFE Solid Key Stop-cock.	089
F 37	Funnels - Addition / Dropping, with Socket Cylindrical with Straight Bore Glass Stop - cock OR PTFE Rotaflow Stop-cock.	090
F 38	Funnels - Addition / Dropping, with Socket Cylindrical with PTFE Solid Key Stop-cock.	090
F 39	Funnels - Addition / Dropping, with Socket Cylindrical with Straight Bore Glass Stop - cock OR PTFE Rotaflow Stop-cock, Graduated.	091
F 40	Funnels - Addition / Dropping, with Socket Cylindrical with PTFE Solid Key Stop-cock, Graduated.	091
F 41	Funnels - Addition / Dropping, Pressure Equalising, Cylindrical with Straight Bore Glass Stop - cock OR PTFE Rotaflow Stop-cock.	091
F 42	Funnels - Addition / Dropping, Pressure Equalising, Cylindrical with PTFE Solid Key Stop-cock.	092
F 43	Funnels - Addition / Dropping, Pressure Equalising, Cylindrical with Straight Bore Glass Stop - cock OR PTFE Rotaflow Stop-cock, Graduated.	093

Item Code	Item	Page No.
F 44	Funnels - Addition / Dropping, Pressure Equalising, Cylindrical with PTFE Solid Key Stop-cock, Graduated.	093
F 45	Funnels - Separating, Globe Shape, with Straight Bore Glass Stop - cock OR PTFE Rotaflow Stop-cock.	093
F 46	Funnels - Separating, Globe Shape, with PTFE Solid Key Stop-cock.	094
F 47	Funnel Separating, Pear shape, with Straight Bore Glass Stop - cock OR PTFE Rotaflow Stop-cock.	094
F 48	Funnel Separating, Pear shape, with PTFE Solid Key Stop-cock.	095
F 49	Filter Pump - College Pattern Glass - for Ejector application.	095
F 50	Glass Jacketed Reactor, Flat bottom, Open Top, Type A & B	095
F 51	Glass Jacketed Reactor, Flat bottom, Flat flange, Type A & B	095
F 52	Glass Jacketed Reactor, with bottom outlet valve, Flat flange - for multi neck lid	096
F 53	Lids for Jacketed Reactor - Multi neck (Five neck)	096
F 54	Quick Release Coupling for Jacketed Reactor, made of High grade Aluminum, Powder Coated	097
F 55	Baffled Reaction Vessel, Four neck, one side plain	097
F 56	Tablet Dissolution Glass Jar - for standard Dissolution Test apparatus	097

P**PIPETTES**

Item Code	Item	Page No.
P 01	Pipette - Graduated, Total Delivery (Serological), Class "A", with Test Certificate	098
P 02	Pipettes, Graduated, Class B, Total Delivery (Serological)	098
P 03	Pipette - Volumetric, Single Mark, Class "A", with Test Certificate,	099
P 04	Pipettes, Volumetric, Class B	099
P 05	Anderson Pipette / Sedimentation Pipette (For Particle size determination)	099
P 06	Pipette - Automatic Transfer - Tilt measure, with Conical Flask having B - 24 joint	100
P 07	Pipette, Milk Testing, Gerber, One Mark	100
P 08	Pipette, Pasture (Dropper), with Rubber Teat	100
P 09	Pipette, Drum Sampling (Drum Pipette / Drum Sampler)	100

S

STIRRING RODS, STOPPERS & SINTERED WARE

Item Code	Item	Page No.
S 01	Stirring Rods - Button type (Without Blade)	101
S 02	Stirring Rods - Double Button (Without Blade)	101
S 03	Stirring Rods - Anchor type	102
S 04	Stirring Rods - Propeller type	102
S 05	Mercury Seal Gland with Sleeve - Glass	102
S 06	Stoppers - Hollow - Hexagonal Head	103
S 07	Stoppers - Hollow - Penny Head	103
S 08	Stoppers - Solid - Penny Head, for Volumetric Flasks	103
S 09	Stoppers - Solid - Flat Head, for Reagent Bottles	104
S 10	Sintered Glass Buchner Funnels	104
S 11	Gooch Crucible (Sintered)	105
S 12	Adapters / Filter Tubes for Gooch Crucibles	106
S 13	Sintered Glass Buchner Funnels, with I/C. Cone Joint	106
S 14	Sintered Glass Buchner Funnels, with I/C. Cone Joint and Vacuum Connection	107
S 15	Micro Filtration Assembly (Millipore type) : With Rubber Cork	108
S 16	Micro Filtration Assembly (Millipore type) : With Ground Glass I/C. Joints	108
S 17	Spares for Micro Filtration Assembly	109
S 18	Sintered Pipeline Filter adapter : Sealed Sintered Disc with Tube connection at both ends.	109

T

TEST TUBES, CULTURE TUBES & CAPILLARIES

Item Code	Item	Page No.
T 01	Test tubes - Round bottom, With Rim	110
T 02	Test tubes - Round bottom, Without Rim	110
T 03	Test tubes - Round bottom, with Socket and Stopper	111
T 04	Test tubes - Round bottom, with Stopper, Graduated	111
T 05	Tubes - Centrifuge, Conical bottom, Plain	112
T 06	Tubes - Centrifuge, Conical bottom, Graduated	112
T 07	Tubes - Centrifuge, Conical bottom, Graduated with Stopper	112
T 08	Tubes - Culture, Media - Round Bottom with Screw cap, Clear Glass	112

Item Code	Item	Page No.
T 09	Tubes - Culture, Media - Round Bottom with Screw cap, Amber Glass	113
T 10	Tubes - Culture, Media - Flat Bottom with Screw cap - Clear Glass	113
T 11	Tubes - Culture, Media - Flat Bottom with Screw cap - Amber Glass	113
T 12	Thile's Melting Point Tube	113
T 13	Calcium Chloride ' U ' Tube	114
T 14	Tubes - Connections, For Rubber Tubing	114
T 15	Capillary Tubes - both ends open, 100 mm long Pack of 100 nos. (Sampling Capillaries)	114
T 16	Capillary Tubes - One end Closed, 100 mm long Pack of 100 nos. (Melting Point Capillaries)	114
T 17	Tubes - Blood sugar, Folin - Wu	114
T 15	Capillary Tubes - One end Closed, 100 mm long Pack of 100 nos. (Melting Point Capillaries)	114

V

VACUUM GAUGES

Item Code	Item	Page No.
V 01	'U' Tube Manometer - Industrial Pattern	115
V 02	'U' Tube Manometer - Laboratory Pattern	115
V 03	Mc-Leod Gauge	115

SA

STANDARD APPARATUS


Item Code	Item	Page No.
SA 01	Arsenic Determination Apparatus	116
SA 02	Amonia Distilling Apparatus	116
SA 03	Micro Kjeldahl Distillation Apparatus (Nitrogen Distillation)	116
SA 04	Water Distillation Unit	117
SA 05	Chemical Oxygen Demand (C.O.D.) Test Glass apparatus	117
SA 06	Essential Oil determination apparatus : Apparatus consist of : Round bottom Flask, Vertical tube combined with Condenser A & graduated receiver having Stop-cock	117
SA 07	Combined Distillation Setup - Specially designed for High Vacuum Distillation and Fractional Distillation	118
SA 08	Combined Distillation Setup - Specially designed for High Vacuum Fractional Distillation	118

Adapters - Reduction with Interchangeable Joints

A 01

Cat. Ref.	Cone	Socket
A 01/01	B-14	B-10
A 01/02	B-19	B-14
A 01/03	B-24	B-14
A 01/04	B-24	B-19
A 01/05	B-29	B-14
A 01/06	B-29	B-19
A 01/07	B-29	B-24
A 01/08	B-34	B-19
A 01/09	B-34	B-24
A 01/10	B-34	B-29
A 01/11	B-55	B-24
A 01/12	B-55	B-34

A 01




Adapters - Expansion - with Interchangeable Joints

A 02

Cat. Ref.	Cone	Socket
A 02/01	B-10	B-14
A 02/02	B-14	B-19
A 02/03	B-14	B-24
A 02/04	B-19	B-24
A 02/05	B-14	B-29
A 02/06	B-19	B-29
A 02/07	B-24	B-29
A 02/08	B-19	B-34
A 02/09	B-24	B-34
A 02/10	B-29	B-34
A 02/11	B-24	B-55
A 02/12	B-34	B-55


A 02




A

ADAPTERS

A 03



A 04



Adapters - Two way - Parallel

A 03

Cat. Ref.	Cone	Socket x 3
A 03/01	B-14	B-14
A 03/02	B-19	B-14
A 03/03	B-19	B-19
A 03/04	B-24	B-14
A 03/05	B-24	B-19
A 03/06	B-24	B-24
A 03/07	B-29	B-24
A 03/08	B-29	B-29
A 03/09	B-34	B-24
A 03/10	B-34	B-34
A 03/11	B-55	B-24
A 03/12	B-55	B-34

A 04

Adapters - Three way- Parallel / Angled

Cat. Ref.	Cone	Socket x 3
A 04/01	B-14	B-14
A 04/02	B-19	B-14
A 04/03	B-19	B-19
A 04/04	B-24	B-14
A 04/05	B-24	B-19
A 04/06	B-24	B-24
A 04/07	B-29	B-24
A 04/08	B-29	B-29
A 04/09	B-34	B-24
A 04/10	B-34	B-34
A 04/11	B-55	B-24
A 04/12	B-55	B-34

Broken Glassware ???...


We can repair it.

Adapter - Cone to Rubber Tubing - Straight (Take-off - Straight)

A 05

Cat. Ref.	Cone
A 05/01	B-14
A 05/02	B-19
A 05/03	B-24
A 05/04	B-29
A 05/05	B-34
A 05/06	B-55

A 05




Adapter - Cone to Rubber Tubing - Bend (Take-off - Bend)

A 06

Cat. Ref.	Cone
A 06/01	B-14
A 06/02	B-19
A 06/03	B-24
A 06/04	B-29
A 06/05	B-34
A 06/06	B-55

A 06




Adapter - Cone with Glass Stop-cock (Take-off with Stop-cock - Bend)

A 07

Cat. Ref.	Cone
A 07/01	B-14
A 07/02	B-19
A 07/03	B-24
A 07/04	B-29
A 07/05	B-34
A 07/06	B-55


A 07




A

ADAPTERS


A 08



A 09



A 10



Adapters - Vacuum Release Stop-cock (One Way)

A 08

Cat. Ref.	Cone
A 08/01	B - 14
A 08/02	B - 19
A 08/03	B - 24
A 08/04	B - 29
A 08/05	B - 34

Adapters - Vacuum Release & Control Stop-cock (Two Way)

A 09

Cat. Ref.	Cone
A 09/01	B - 14
A 09/02	B - 19
A 09/03	B - 24
A 09/04	B - 29
A 09/05	B - 34

Adapters - Recovery - Plain Bend, Slopping


A 10

Cat. Ref.	Flask Cone	Condenser Cone
A 10/01	B-14	B-14
A 10/02	B-19	B-19
A 10/03	B-24	B-19
A 10/04	B-24	B-24
A 10/05	B-29	B-24
A 10/06	B-29	B-29
A 10/07	B-34	B-24
A 10/08	B-34	B-34
A 10/09	B-55	B-34

Adapters - Recovery - Vertical

A 11

Cat. Ref.	Flask Cone	Condenser Cone
A 11/01	B-14	B-14
A 11/02	B-19	B-19
A 11/03	B-24	B-19
A 11/04	B-24	B-24
A 11/05	B-29	B-24
A 11/06	B-29	B-29
A 11/07	B-34	B-24
A 11/08	B-34	B-34
A 11/09	B-55	B-34




Adapters - Recovery – Still head - Slopping

A 12

Cat. Ref.	Flask Socket	T.P Cone	Condenser Cone
A 12/01	B-14	B-14	B-14
A 12/02	B-19	B-19	B-19
A 12/03	B-24	B-19	B-19
A 12/04	B-24	B-19	B-24
A 12/05	B-24	B-24	B-24
A 12/06	B-29	B-19	B-24
A 12/07	B-29	B-24	B-29
A 12/08	B-34	B-19	B-24
A 12/09	B-34	B-19	B-34
A 12/10	B-34	B-24	B-34
A 12/11	B-55	B-24	B-34


A 12



Contact for any type of
Custom Glass Fabrication


A

ADAPTERS




A 13

A 14



A 15



Adapters - Recovery - Claisenhead - Slopping

A 13

Cat. Ref.	Flask Socket	T.P Cone	Condenser Cone
A 13/01	B-14	B-14	B-14
A 13/02	B-19	B-19	B-19
A 13/03	B-24	B-19	B-19
A 13/04	B-24	B-19	B-24
A 13/05	B-29	B-19	B-24
A 13/06	B-29	B-24	B-29
A 13/07	B-34	B-19	B-24
A 13/08	B-34	B-19	B-34
A 13/09	B-34	B-24	B-34
A 13/10	B-55	B-24	B-34

Thermometer Pocket (Short) For Still heads / Claisenheads

A 14

Cat. Ref.	Thermo Joint
A 14/01	B - 14
A 14/02	B - 19
A 14/03	B - 24

Adapters - Recovery – Splash head - Slopping


A 15

Cat. Ref.	Flask Cone	Condenser Cone
A 15/01	B - 14	B - 14
A 15/02	B - 19	B - 19
A 15/03	B - 24	B - 19
A 15/04	B - 24	B - 24
A 15/05	B - 29	B - 24
A 15/06	B - 29	B - 29
A 15/07	B - 34	B - 24
A 15/08	B - 34	B - 34
A 15/09	B - 55	B - 34

Adapters - Recovery – Splash head - Vertical

A 16


Cat. Ref.	Flask Cone	Condenser Cone
A 16/01	B - 14	B - 14
A 16/02	B - 19	B - 19
A 16/03	B - 24	B - 19
A 16/04	B - 24	B - 24
A 16/05	B - 29	B - 24
A 16/06	B - 29	B - 29
A 16/07	B - 34	B - 24
A 16/08	B - 34	B - 34
A 16/09	B - 55	B - 34



Adapters - Receiver - Plain Bend - Short

A 17


Cat. Ref.	Socket
A 17/01	B - 14
A 17/02	B - 19
A 17/03	B - 24
A 17/04	B - 29
A 17/05	B - 34



Adapters - Receiver - Plain Bend - Long

A 18


Cat. Ref.	Socket
A 18/01	B - 14
A 18/02	B - 19
A 18/03	B - 24
A 18/04	B - 29
A 18/05	B - 34



A

ADAPTERS

A 19




Adapters - Receiver - Plain Bend - Socket to Cone

A 19

Cat. Ref.	Socket	Cone
A 19/01	B - 10	B - 10
A 19/02	B - 14	B - 14
A 19/03	B - 19	B - 19
A 19/04	B - 24	B - 19
A 19/05	B - 24	B - 24
A 19/06	B - 29	B - 24
A 19/07	B - 29	B - 29
A 19/08	B - 34	B - 24
A 19/09	B - 34	B - 34

A 20




Adapters - Receiver - Bend with, with Vacuum Connection

A 20

Cat. Ref.	Socket	Cone
A 20/01	B - 10	B - 10
A 20/02	B - 14	B - 14
A 20/03	B - 19	B - 19
A 20/04	B - 24	B - 19
A 20/05	B - 24	B - 24
A 20/06	B - 29	B - 24
A 20/07	B - 29	B - 29
A 20/08	B - 34	B - 24
A 20/09	B - 34	B - 34

A 21



Adapters - Receiver - Bend with Multiple connection (Pig)


A 21

Cat. Ref.	Socket	Cone
A 21/01	B - 14	B - 14
A 21/02	B - 19	B - 19
A 21/03	B - 24	B - 19
A 21/04	B - 24	B - 24

Adapters - Receiver - Multi-limb, with Vacuum connection

A 22


Cat. Ref.	Socket	Cone
A 22/01	B - 14	B - 14
A 22/02	B - 19	B - 19
A 22/03	B - 24	B - 19



Receiver Adapter for Multi-limb, Slopping delivery

A 23


Cat. Ref.	Socket	Cone
A 23/01	B - 14	B - 14
A 23/02	B - 19	B - 19
A 23/03	B - 24	B - 24



Adapters - Intermediate Receiver - PERKIN

A 24


Cat. Ref.	Socket	Cone
A 24/01	B - 14	B - 14
A 24/02	B - 19	B - 19
A 24/03	B - 24	B - 24
A 24/04	B - 29	B - 29
A 24/05	B - 34	B - 24
A 24/06	B - 34	B - 34



Guard Tube / Drying Tube, with Ground Joint (Cone)

A 25


Cat. Ref.	Cone
A 25/01	B - 10
A 25/02	B - 14
A 25/03	B - 19
A 25/04	B - 24
A 25/05	B - 29
A 25/06	B - 34




A

ADAPTERS


A 26




A 27



A 28



A 29



**Guard Tube / Drying Tube,
with connection for Rubber Tubing.**

A 26

Cat. Ref.	Size
A 26/01	Small
A 26/02	Medium
A 26/03	Big

**Intermediate Stop-cock adapter -
Socket to Cone**

A 27

Cat. Ref.	Socket	Cone
A 27/01	B-19	B-19
A 27/02	B-24	B-24
A 27/03	B-29	B-29
A 27/04	B-34	B-34

**Reflux - Ratio head (Reflux Divider),
with Ball joint**

A 28

Cat. Ref.	Flask Cone	T.P Socket	Condenser Socket
A 28/01	B-24	B-14	B-24
A 28/02	B-29	B-19	B-29
A 28/03	B-34	B-19	B-34
A 28/04	B-55	B-19	B-34

**Distillate receiver bend for Reflux Divider -
with Stop-cock**

A 29

Cat. Ref.	Cup Joint	Cone
A 29/01	S - 19	B - 19
A 29/02	S - 29	B - 24

Gas passing tubes for Reaction Flasks

A 30


Cat. Ref.	Joint Size	Flask Cap. (ml)
A 30/01	B - 14	25
A 30/02	B - 14	50
A 30/03	B - 14	100
A 30/04	B - 14	250
A 30/05	B - 19	100
A 30/06	B - 19	250
A 30/07	B - 19	500
A 30/08	B - 19	1000
A 30/09	B - 19	2000
A 30/10	B - 24	250
A 30/11	B - 24	500
A 30/12	B - 24	1000
A 30/13	B - 24	2000
A 30/14	B - 24	3000
A 30/15	B - 24	5000
A 30/16	B - 24	10000
A 30/17	B - 24	20000
A 30/18	B - 34	10000
A 30/19	B - 34	20000

Thermometer Pockets for Reaction Flasks

A 31

Cat. Ref.	Joint Size	Flask Cap. (ml)
A 31/01	B - 14	25
A 31/02	B - 14	50
A 31/03	B - 14	100
A 31/04	B - 14	250
A 31/05	B - 19	100
A 31/06	B - 19	250
A 31/07	B - 19	500
A 31/08	B - 19	1000

A 30



Contact for any type of
Custom Glass Fabrication

A 31




A

ADAPTERS

A 31




A 32



Taking care of
Chemical Reactions
Since 1972

A 33



A 31

Cat. Ref.	Joint Size	Flask Cap. (ml)
A 31/09	B - 19	2000
A 31/10	B - 24	250
A 31/11	B - 24	500
A 31/12	B - 24	1000
A 31/13	B - 24	2000
A 31/14	B - 24	3000
A 31/15	B - 24	5000
A 31/16	B - 24	10000
A 31/17	B - 24	20000
A 31/18	B - 34	10000
A 31/19	B - 34	20000

Adapters - Dip pipe, Socket & Cone, with short pipe

A 32

Cat. Ref.	Socket	Cone
A 32/01	B-10	B-10
A 32/02	B-14	B-14
A 32/03	B-19	B-19
A 32/04	B-24	B-24
A 32/05	B-29	B-29
A 32/06	B-34	B-34

Adapters - Gas Bubbler (Commonly used as Nitrogen Bubbler)

A 33

Cat. Ref.	Cone
A 33/01	B - 10
A 33/02	B - 14
A 33/03	B - 19
A 33/04	B - 24
A 33/05	B - 29
A 33/06	B - 34

BEAKERS & BOTTLES


B

Beakers - Low form with Spout, Graduated

B 01

Cat. Ref.	Capacity (ml)
B 01/01	5
B 01/02	10
B 01/03	25
B 01/04	50
B 01/05	100
B 01/06	150
B 01/07	250
B 01/08	400
B 01/09	500
B 01/10	600
B 01/11	1000
B 01/12	2000
B 01/13	3000
B 01/14	5000
B 01/15	10000
B 01/16	20000

B 01




Broken Glassware ???...
We can repair it.

Bottles - Reagent, Narrow mouth With Flat Head Stopper, Clear Glass.

B 02

Cat. Ref.	Capacity (ml)	Ground Joint
B 02/01	60	B - 14
B 02/02	100	B - 19
B 02/03	125	B - 19
B 02/04	250	B - 19
B 02/05	500	B - 24
B 02/06	1000	B - 29
B 02/07	2000	B - 34
B 02/08	3000	B - 45
B 02/09	5000	B - 45
B 02/10	10000	B - 55
B 02/11	20000	B - 55


B 02



B

BOTTLES

B 03



Bottles - Reagent, Narrow mouth with Flat Head Stopper, Amber Glass.

B 03

Cat. Ref.	Capacity (ml)	Ground Joint
B 03/01	60	B - 14
B 03/02	100	B - 19
B 03/03	125	B - 19
B 03/04	250	B - 19
B 03/05	500	B - 24
B 03/06	1000	B - 29
B 03/07	2000	B - 34
B 03/08	3000	B - 45
B 03/09	5000	B - 45
B 03/10	10000	B - 55
B 03/11	20000	B - 55

B 04



Bottles - Reagent, Wide mouth with Screw cap, Clear Glass

B 04

Cat. Ref.	Capacity (ml)	Neck Size
B 04/01	25	GL 25
B 04/02	50	GL 32
B 04/03	100	GL 45
B 04/04	250	GL 45
B 04/05	500	GL 45
B 04/06	1000	GL 45
B 04/07	2000	GL 45
B 04/08	3000	GL 45
B 04/09	5000	GL 45
B 04/10	10000	GL 45
B 04/11	20000	GL 45

Contact for any type of
Custom Glass Fabrication

Bottles - Reagent, Wide mouth with Screw cap, Amber Glass

B 05

Cat. Ref.	Capacity (ml)
B 05/01	25
B 05/02	50
B 05/03	100
B 05/04	250
B 05/05	500
B 05/06	1000
B 05/07	2000
B 05/08	3000
B 05/09	5000
B 05/10	10000
B 05/11	20000

B 05




Bottles - Aspirator, with outlet for Rubber Tubing

B 06

Cat. Ref.	Capacity (ml)
B 06/01	125
B 06/02	250
B 06/03	500
B 06/04	1000
B 06/05	2000

B 06



Bottles - Aspirator, with Stop-cock and Glass Stopper, Clear Glass

B 07


Cat. Ref.	Capacity (ml)	Neck Size
B 07/01	1000	B - 29
B 07/02	2000	B - 34
B 07/03	5000	B - 45
B 07/04	10000	B - 55
B 07/05	20000	B - 55

B 07



B

BOTTLES



Bottles - Aspirator, with Stop-cock & Screw cap, wide mouth, Clear Glass


B 08

Cat. Ref.	Capacity (ml)	Neck Size
B 08/01	1000	GL 45
B 08/02	2000	GL 45
B 08/03	5000	GL 45
B 08/04	10000	GL 45
B 08/05	20000	GL 45

B 09



B 10



Bottles - B.O.D. with stopper (Heavy Wall)

B 09


Cat. Ref.	Capacity (ml)
B 09/01	125
B 09/02	300

Bottles - Relative Density (Specific Gravity) with PTFE stopper

B 10

Cat. Ref.	Capacity (ml)
B 10/01	10
B 10/02	25
B 10/03	50

B 11



Bottles - Weighing - with Interchangeable Stopper

B 11

Cat. Ref.	Capacity (ml)	O.D. X Height of Bottle Only (mm)
B 11/01	5	20 x 40 mm
B 11/02	15	25 x 60 mm
B 11/03*	20	50 x 35 mm
B 11/04	25	30 x 65 mm
B 11/05*	40	60 x 40 mm
B 11/06	60	40 x 90 mm
B 11/07	90	60 x 100 mm


* These Bottles are squat form

Bottles - Specific gravity, with Thermometer (Pyknometer)

B 12

Cat. Ref.	Capacity (ml)
B 12/01	10
B 12/02	25
B 12/03	50

B 12




Bottles - Dropping with Interchangeable dropper & rubber teat, Clear Glass.

B 13

Cat. Ref.	Capacity (ml)	Ground Joint
B 13/01	30	B - 14
B 13/02	60	B - 14
B 13/03	125	B - 19
B 13/04	250	B - 19

B 13




Bottles - Dropping with Interchangeable dropper & rubber teat, Amber Glass.

B 14

Cat. Ref.	Capacity (ml)	Ground Joint
B 14/01	30	B - 14
B 14/02	60	B - 14
B 14/03	125	B - 19
B 14/04	250	B - 19

B 14




Bottles - Gas washing with Interchangeable Stopper Using F.B.Flask

B 15


Cat. Ref.	Capacity (ml)	Ground Joint
B 15/01	250	B - 24
B 15/02	500	B - 24
B 15/03	1000	B - 29
B 15/04	2000	B - 29

B 15



B


BOTTLES




B 16



B 17



B 18



B 19

Stoppers (Trap heads) only for Gas washing bottles

B 16

Cat. Ref.	Capacity (ml)	Ground Joint
B 16/01	250	B - 24
B 16/02	500	B - 24
B 16/02	1000	B - 29
B 16/03	2000	B - 29

F.B.Flask - only for Gas washing bottles

B 17

Cat. Ref.	Capacity (ml)	Ground Joint
B 17/01	250	B - 24
B 17/02	500	B - 24
B 17/03	1000	B - 29
B 17/04	2000	B - 29

Bottles - Gas washing with Interchangeable Stopper Using Bottles

B 18

Cat. Ref.	Capacity (ml)	Ground Joint
B 18/01	125	B - 29
B 18/02	250	B - 29
B 18/03	500	B - 29

Stoppers only for Gas washing bottles

B 19

Cat. Ref.	Capacity (ml)	Ground Joint
B 19/01	125	B - 29
B 19/02	250	B - 29
B 19/03	500	B - 29

Bottles only for Gas washing bottles

B 20

Cat. Ref.	Capacity (ml)	Ground Joint
B 20/01	125	B - 29
B 20/02	250	B - 29
B 20/03	500	B - 29

Bottles - Gas Bubbling (Sealed Trap - One Piece)

B 21

Cat. Ref.	Capacity (ml)
B 21/01	125
B 21/02	250
B 21/03	500

Bottles - Impingers - Graduated, for Air Sampling.

B 22

Cat. Ref.	Capacity (ml)
B 22/01	35
B 22/02	50
B 22/03	80
B 22/04	100
B 22/05	150
B 22/06	250
B 22/07	275

Burettes - with Pinch cock & Jet, Class "B"


B 23

Cat. Ref.	Capacity (ml)	Graduation Interval (ml)	Tolerance (\pm ml)
B 23/01	10	0.050	0.050
B 23/02	25	0.100	0.100
B 23/03	50	0.100	0.100


Spare Pinch cock for Burettes

Cat. Ref.
B 23/04

B 20




B 21



B 23




B 22




B

BURETTES


B 24



B 25



B 26



Burettes - with PTFE Rotaflow Stop-cock, Accuracy as per Class "A" of I.S.1997:2008 / ISO 385 : 2005, With Certificate, Clear Glass.

B 24

Cat. Ref.	Capacity (ml)	Graduation Interval (ml)	Tolerance (\pm ml)
B 24/01	10	0.050	0.020
B 24/02	25	0.100	0.050
B 24/03	50	0.100	0.050
B 24/04	100	0.200	0.100

Burettes - with PTFE Rotaflow cock, Class "B", Clear Glass.

B 25

Cat. Ref.	Capacity (ml)	Graduation Interval (ml)	Tolerance (\pm ml)
B 25/01	10	0.050	0.050
B 25/02	25	0.100	0.100
B 25/03	50	0.100	0.100
B 25/04	100	0.200	0.200

Burettes - with Straight bore Glass Stop-cock, Accuracy as per Class "A" of I.S.1997:2008 / ISO 385 : 2005, With Certificate, Clear Glass.

B 26

Cat. Ref.	Capacity (ml)	Graduation Interval (ml)	Tolerance (\pm ml)
B 26/01	10	0.050	0.020
B 26/02	25	0.100	0.050
B 26/03	50	0.100	0.050
B 26/04	100	0.200	0.100



Taking care of
Chemical Reactions
Since 1972

**Burettes - with Straight bore Glass
Stop-cock, Class "B", Clear Glass.**

B 27

Cat. Ref.	Capacity (ml)	Graduation Interval (ml)	Tolerance (\pm ml)
B 27/01	10	0.050	0.050
B 27/02	25	0.100	0.100
B 27/03	50	0.100	0.100
B 27/04	100	0.200	0.200

**Burettes - with Straight bore PTFE Solid Key
Stop-cock, Accuracy as per Class "A" of
I.S.1997:2008 / ISO 385 : 2005, With Certificate,
Clear lass.**

B 28

Cat. Ref.	Capacity (ml)	Graduation Interval (ml)	Tolerance (\pm ml)
B 28/01	10	0.050	0.020
B 28/02	25	0.100	0.050
B 28/03	50	0.100	0.050
B 28/04	100	0.200	0.100


**Burettes - with Straight bore PTFE Solid Key
Stop-cock, Class "B", Clear Glass.**

B 29


Cat. Ref.	Capacity (ml)	Graduation Interval (ml)	Tolerance (\pm ml)
B 29/01	10	0.050	0.050
B 29/02	25	0.100	0.100
B 29/03	50	0.100	0.100
B 29/04	100	0.200	0.200

Contact for any type of
Custom Glass Fabrication


B 27



B 28




B 29



B

BURETTES

B 30 / B 31



Burettes - Automatic Zero, Mounted on reservoir with Straight bore Glass Stop-cock OR PTFE Rotaflow cock, Class "A" With Test Certificate, Clear Glass.

B 30

Cat. Ref.	Capacity (ml)	Graduation Interval (ml)	Tolerance (\pm ml)
B 30/01	10	0.050	0.020
B 30/02	25	0.100	0.050
B 30/03	50	0.100	0.050
B 30/04	100	0.200	0.100

Burettes - Automatic Zero, Mounted on reservoir with Straight bore Glass Stop-cock OR PTFE Rotaflow cock, Class "B", Clear Glass.

B 31

Cat. Ref.	Capacity (ml)	Graduation Interval (ml)	Tolerance (\pm ml)
B 31/01	10	0.050	0.050
B 31/02	25	0.100	0.100
B 31/03	50	0.100	0.100
B 31/04	100	0.200	0.200

Reservoir for Auto. Burette	Capacity
10 ml	500 ml
25, 50 & 100 ml	2000 ml

Reservoir Bottle only - for Auto. Burette

B 32

Cat Ref.	Capacity (ml)
B 32/01 (Clear)	500
B 32/02 (Clear)	2000
B 32/03 (Amber)	500
B 32/04 (Amber)	2000


Rubber bulb for Auto burette

B 33

Cat. Ref.	Capacity (ml)
B 33/01	Ordinary - with tube
B 33/02	With bellow & net

* Refer Section-2 (Rubberware)

B 33



Burettes - with Straight bore Glass Stop-cock, Class "A", With Test Certificate, Amber Glass.

B 34

Cat. Ref.	Capacity (ml)	Graduation Interval (ml)	Tolerance (\pm ml)
B 34/01	10	0.050	0.020
B 34/02	25	0.100	0.050
B 34/03	50	0.100	0.050
B 34/04	100	0.200	0.100

Burettes - with Straight bore Glass Stop-cock, Class "B", Amber Glass.

B 35

Cat. Ref.	Capacity (ml)	Graduation Interval (ml)	Tolerance (\pm ml)
B 35/01	10	0.050	0.050
B 35/02	25	0.100	0.100
B 35/03	50	0.100	0.100
B 35/04	100	0.200	0.200

Burettes - with PTFE Rotaflow cock, Class "A", With Test Certificate, Amber Glass.


B 36

Cat. Ref.	Capacity (ml)	Graduation Interval (ml)	Tolerance (\pm ml)
B 36/01	10	0.050	0.020
B 36/02	25	0.100	0.050
B 36/03	50	0.100	0.050
B 36/04	100	0.200	0.100

B 34

B 35


B 36




B

BURETTES



B 37



B 38



B 39



Burettes - with PTFE Rotaflow cock, Class "B", Amber Glass.

B 37

Cat. Ref.	Capacity (ml)	Graduation Interval (ml)	Tolerance (\pm ml)
B 37/01	10	0.050	0.050
B 37/02	25	0.100	0.100
B 37/03	50	0.100	0.100
B 37/04	100	0.200	0.200

Burettes - with Straight bore PTFE Solid key Stop-cock, Class "A", With Test Certificate, Amber Glass.

B 38

Cat. Ref.	Capacity (ml)	Graduation Interval (ml)	Tolerance (\pm ml)
B 38/01	10	0.050	0.020
B 38/02	25	0.100	0.050
B 38/03	50	0.100	0.050
B 38/04	100	0.200	0.100

Burettes - with Straight bore PTFE Solid Key Stop-cock, Class "B", Amber Glass.

B 39

Cat. Ref.	Capacity (ml)	Graduation Interval (ml)	Tolerance (\pm ml)
B 39/01	10	0.050	0.050
B 39/02	25	0.100	0.100
B 39/03	50	0.100	0.100
B 39/04	100	0.200	0.200

Broken Glassware ???...

We can repair it.

COLUMNS - FRACTIONATING


C

Columns - Fractionating, Plain, with support for Rasching Rings (Medium Wall)

C 01

Cat. Ref.	Joints Cone & Socket	Effective Length (mm)
C 01/01	B-14/14	150
C 01/02	B-14/14	200
C 01/03	B-14/14	300
C 01/04	B-19/19	150
C 01/05	B-19/19	200
C 01/06	B-19/19	300
C 01/07	B-19/19	400
C 01/08	B-24/24	150
C 01/09	B-24/24	200
C 01/10	B-24/24	300
C 01/11	B-24/24	400
C 01/12	B-24/24	450
C 01/13	B-24/24	600
C 01/14	B-29/29	200
C 01/15	B-29/29	300
C 01/16	B-29/29	400
C 01/17	B-29/29	450
C 01/18	B-29/29	600
C 01/19	B-34/34	200
C 01/20	B-34/34	300
C 01/21	B-34/34	400
C 01/22	B-34/34	450
C 01/23	B-34/34	600
C 01/24	B-34/34	750
C 01/25	B-34/34	1000
C 01/26	B-55/55	300
C 01/27	B-55/55	400
C 01/28	B-55/55	450
C 01/29	B-55/55	600
C 01/30	B-55/55	750
C 01/31	B-55/55	1000

C 01



Column Packing - Rasching Rings - Neutral Glass

Cat. Ref.	Size D X L (mm)
C 01/32	6 X 6
C 01/33	9 X 9
C 01/34	12 X 12





Columns / Air Condensers (Light Wall)

C 02


Cat. Ref.	Joints Cone & Socket	Effective Length (mm)
C 02/01	B-14/14	150
C 02/02	B-14/14	200
C 02/03	B-14/14	300
C 02/04	B-19/19	150
C 02/05	B-19/19	200
C 02/06	B-19/19	300
C 02/07	B-19/19	400
C 02/08	B-24/24	150
C 02/09	B-24/24	200
C 02/10	B-24/24	300
C 02/11	B-24/24	400
C 02/12	B-24/24	450
C 02/13	B-24/24	600
C 02/14	B-29/29	200
C 02/15	B-29/29	300
C 02/16	B-29/29	400
C 02/17	B-29/29	450
C 02/18	B-29/29	600
C 02/19	B-34/34	200
C 02/20	B-34/34	300
C 02/21	B-34/34	400
C 02/22	B-34/34	450
C 02/23	B-34/34	600
C 02/24	B-34/34	750
C 02/25	B-34/34	1000
C 02/26	B-55/55	300
C 02/27	B-55/55	400
C 02/28	B-55/55	450
C 02/29	B-55/55	600
C 02/30	B-55/55	750
C 02/31	B-55/55	1000

Columns - Fractionating, Vigreux

C 03

Cat. Ref.	Joints Cone & Socket	Effective Length (mm)
C 03/01	B-14/14	150
C 03/02	B-14/14	200
C 03/03	B-14/14	300
C 03/04	B-19/19	150
C 03/05	B-19/19	200
C 03/06	B-19/19	300
C 03/07	B-19/19	400
C 03/08	B-24/24	150
C 03/09	B-24/24	200
C 03/10	B-24/24	300
C 03/11	B-24/24	400
C 03/12	B-24/24	450
C 03/13	B-24/24	600
C 03/14	B-29/29	200
C 03/15	B-29/29	300
C 03/16	B-29/29	400
C 03/17	B-29/29	450
C 03/18	B-29/29	600
C 03/19	B-34/34	200
C 03/20	B-34/34	300
C 03/21	B-34/34	400
C 03/22	B-34/34	450
C 03/23	B-34/34	600
C 03/24	B-34/34	750
C 03/25	B-34/34	1000
C 03/26	B-55/55	300
C 03/27	B-55/55	400
C 03/28	B-55/55	450
C 03/29	B-55/55	600
C 03/30	B-55/55	750
C 03/31	B-55/55	1000

C 03



C 04


**Columns - Chromatography ,
Plain with outlet for Rubber Tubing**

C 04

Cat. Ref.	Size I. D. x O. D. (mm)	Effective Length (mm)
C 04/01	20 x 24	150
C 04/02	20 x 24	200
C 04/03	20 x 24	250
C 04/04	20 x 24	300
C 04/05	20 x 24	400
C 04/06	20 x 24	450
C 04/07	24 x 28	150
C 04/08	24 x 28	200
C 04/09	24 x 28	250
C 04/10	24 x 28	300
C 04/11	24 x 28	400
C 04/12	24 x 28	450
C 04/13	24 x 28	500
C 04/14	30 x 34	250
C 04/15	30 x 34	300
C 04/16	30 x 34	400
C 04/17	30 x 34	450
C 04/18	30 x 34	500
C 04/19	30 x 34	600
C 04/20	30 x 34	750
C 04/21	45 x 50	400
C 04/22	45 x 50	450
C 04/23	45 x 50	500
C 04/24	45 x 50	600
C 04/25	45 x 50	750
C 04/26	45 x 50	900
C 04/27	45 x 50	1000

COLUMNS - CHROMATOGRAPHY



**Columns - Chromatography,
with Straight bore Glass Stop-cock /
PTFE Rotaflow Stop-cock.**

C 05

Cat. Ref.	Size I. D. x O. D. (mm)	Effective Length (mm)
C 05/01	20 x 24	150
C 05/02	20 x 24	200
C 05/03	20 x 24	250
C 05/04	20 x 24	300
C 05/05	20 x 24	400
C 05/06	20 x 24	450
C 05/07	24 x 28	150
C 05/08	24 x 28	200
C 05/09	24 x 28	250
C 05/10	24 x 28	300
C 05/11	24 x 28	400
C 05/12	24 x 28	450
C 05/13	24 x 28	500
C 05/14	30 x 34	250
C 05/15	30 x 34	300
C 05/16	30 x 34	400
C 05/17	30 x 34	450
C 05/18	30 x 34	500
C 05/19	30 x 34	600
C 05/20	30 x 34	750
C 05/21	45 x 50	400
C 05/22	45 x 50	450
C 05/23	45 x 50	500
C 05/24	45 x 50	600
C 05/25	45 x 50	750
C 05/26	45 x 50	900
C 05/27	45 x 50	1000
C 05/28	55 x 60	450
C 05/29	55 x 60	500
C 05/30	55 x 60	600
C 05/31	55 x 60	750

C 05

Cat. Ref.	Size I. D. x O. D. (mm)	Effective Length (mm)
C 05/31	55 x 60	750
C 05/32	55 x 60	900
C 05/33	55 x 60	1000
C 05/34	55 x 60	1200
C 05/35	65 x 70	600
C 05/36	65 x 70	750
C 05/37	65 x 70	900
C 05/38	65 x 70	1000
C 05/39	65 x 70	1200
C 05/40	95 x 100	750
C 05/41	95 x 100	900
C 05/42	95 x 100	1000
C 05/43	95 x 100	1200

C 05



**Columns - Chromatography , with PTFE
Solid Key Stop-cock**

C 06

Cat. Ref.	Size I. D. x O. D. (mm)	Effective Length (mm)
C 06/01	20 x 24	150
C 06/02	20 x 24	200
C 06/03	20 x 24	250
C 06/04	20 x 24	300
C 06/05	20 x 24	400
C 06/06	20 x 24	450
C 06/07	24 x 28	150
C 06/08	24 x 28	200
C 06/09	24 x 28	250
C 06/10	24 x 28	300
C 06/11	24 x 28	400
C 06/12	24 x 28	450
C 06/13	24 x 28	500
C 06/14	30 x 34	250
C 06/15	30 x 34	300
C 06/16	30 x 34	400
C 06/17	30 x 34	450
C 06/18	30 x 34	500
C 06/19	30 x 34	600
C 06/20	30 x 34	750
C 06/21	45 x 50	400
C 06/22	45 x 50	450
C 06/23	45 x 50	500
C 06/24	45 x 50	600
C 06/25	45 x 50	750
C 06/26	45 x 50	900
C 06/27	45 x 50	1000
C 06/28	55 x 60	450
C 06/29	55 x 60	500
C 06/30	55 x 60	600
C 06/31	55 x 60	750

Cat. Ref.	Size I. D. x O. D. (mm)	Effective Length (mm)
C 06/32	55 x 60	900
C 06/33	55 x 60	1000
C 06/34	55 x 60	1200
C 06/35	65 x 70	600
C 06/36	65 x 70	750
C 06/37	65 x 70	900
C 06/38	65 x 70	1000
C 06/39	65 x 70	1200
C 06/40	95 x 100	750
C 06/41	95 x 100	900
C 06/42	95 x 100	1000
C 06/43	95 x 100	1200


C 06



Jumbo Columns

- **Diameter :** from 100 mm (4") to 300 mm (12")
- **Length :** 1000 mm (1 mtr.) to 3000 mm (3 mtr.)
- With PTFE / S. S. Perforated Plate at bottom for silica gel bed.
- Mounted on tubular structure


PRICE
ON REQUEST



Taking care of
Chemical Reactions
Since 1972



C 07



**Columns - Chromatography, with Reservoir
& Straight bore Glass Stop-cock / PTFE Rotaflow
Stop-cock.**

C 07


Cat. Ref.	Size I.D. x O.D. (mm)	Effective length (mm)	Reservoir Capacity (ml)
C 07/01	20 x 24	150	100
C 07/02	20 x 24	200	100
C 07/03	20 x 24	250	100
C 07/04	20 x 24	300	100
C 07/05	20 x 24	400	100
C 07/06	20 x 24	450	100
C 07/07	24 x 28	150	250
C 07/08	24 x 28	200	250
C 07/09	24 x 28	250	250
C 07/10	24 x 28	300	250
C 07/11	24 x 28	400	250
C 07/12	24 x 28	450	250
C 07/13	24 x 28	500	250
C 07/14	30 x 34	250	500
C 07/15	30 x 34	300	500
C 07/16	30 x 34	400	500
C 07/17	30 x 34	450	500
C 07/18	30 x 34	500	500
C 07/19	30 x 34	600	500
C 07/20	30 x 34	750	500
C 07/21	45 x 50	400	1000
C 07/22	45 x 50	450	1000
C 07/23	45 x 50	500	1000
C 07/24	45 x 50	600	1000
C 07/25	45 x 50	750	1000
C 07/26	45 x 50	900	1000
C 07/27	45 x 50	1000	1000
C 07/28	55 x 60	450	2000
C 07/29	55 x 60	500	2000
C 07/30	55 x 60	600	2000

COLUMNS - CHROMATOGRAPHY

C

Cat. Ref.	Size I.D. x O.D. (mm)	Effective length (mm)	Reservoir Capacity (ml)
C 07/31	55 x 60	750	2000
C 07/32	55 x 60	900	2000
C 07/33	55 x 60	1000	2000
C 07/34	55 x 60	1200	2000
C 07/35	65 x 70	600	3000
C 07/36	65 x 70	750	3000
C 07/37	65 x 70	900	3000
C 07/38	65 x 70	1000	3000
C 07/39	65 x 70	1200	3000
C 07/40	95 x 100	750	5000
C 07/41	95 x 100	900	5000
C 07/42	95 x 100	1000	5000
C 07/43	95 x 100	1200	5000

C 07



Contact for any type of
Custom Glass Fabrication




sabar scientific
ISO 9001 : 2008 CERTIFIED

Bridging the gap between Theory & Practical.

045

C 08



Columns - Chromatography, with Reservoir & PTFE Solid Key Stop-cock

C 08

Cat. Ref.	Size I.D. x O.D. (mm)	Effective length (mm)	Reservoir Capacity (ml)
C 08/01	20 x 24	150	100
C 08/02	20 x 24	200	100
C 08/03	20 x 24	250	100
C 08/04	20 x 24	300	100
C 08/05	20 x 24	400	100
C 08/06	20 x 24	450	100
C 08/07	24 x 28	150	250
C 08/08	24 x 28	200	250
C 08/09	24 x 28	250	250
C 08/10	24 x 28	300	250
C 08/11	24 x 28	400	250
C 08/12	24 x 28	450	250
C 08/13	24 x 28	500	250
C 08/14	30 x 34	250	500
C 08/15	30 x 34	300	500
C 08/16	30 x 34	400	500
C 08/17	30 x 34	450	500
C 08/18	30 x 34	500	500
C 08/19	30 x 34	600	500
C 08/20	30 x 34	750	500
C 08/21	45 x 50	400	1000
C 08/22	45 x 50	450	1000
C 08/23	45 x 50	500	1000
C 08/24	45 x 50	600	1000
C 08/25	45 x 50	750	1000
C 08/26	45 x 50	900	1000
C 08/27	45 x 50	1000	1000
C 08/28	55 x 60	450	2000
C 08/29	55 x 60	500	2000
C 08/30	55 x 60	600	2000


Cat. Ref.	Size I.D. x O.D. (mm)	Effective length (mm)	Reservoir Capacity (ml)
C 08/31	55 x 60	750	2000
C 08/32	55 x 60	900	2000
C 08/33	55 x 60	1000	2000
C 08/34	55 x 60	1200	2000
C 08/35	65 x 70	600	3000
C 08/36	65 x 70	750	3000
C 08/37	65 x 70	900	3000
C 08/38	65 x 70	1000	3000
C 08/39	65 x 70	1200	3000
C 08/40	95 x 100	750	5000
C 08/41	95 x 100	900	5000
C 08/42	95 x 100	1000	5000
C 08/43	95 x 100	1200	5000

C 08



Broken Glassware ???...
We can repair it.

C 09



Column - Chromatography, with ground joint (Socket) on Top and Straight bore Glass Stop-cock / PTFE Rotaflow Stop-cock.

C 09

Cat. Ref.	Size I.D. (mm)	Effective length (mm)	Joint Size
C 09/01	20	150	B - 19
C 09/02	20	200	B - 19
C 09/03	20	250	B - 19
C 09/04	20	300	B - 19
C 09/05	20	400	B - 19
C 09/06	20	450	B - 19
C 09/07	30	250	B - 24
C 09/08	30	300	B - 24
C 09/09	30	400	B - 24
C 09/10	30	450	B - 24
C 09/11	30	500	B - 24
C 09/12	30	600	B - 24
C 09/13	30	750	B - 24
C 09/14	45	400	B - 34
C 09/15	45	450	B - 34
C 09/16	45	500	B - 34
C 09/17	45	600	B - 34
C 09/18	45	750	B - 34
C 09/19	45	900	B - 34
C 09/20	45	1000	B - 34
C 09/21	65	600	B - 34
C 09/22	65	750	B - 34
C 09/23	65	900	B - 34
C 09/24	65	1000	B - 34
C 09/25	65	1200	B - 34

COLUMNS - CHROMATOGRAPHY


C

Column - Chromatography, with ground joint (Socket) on Top and PTFE Solid key stop-cock

C 10

Cat. Ref.	Size I.D. (mm)	Effective length (mm)	Joint Size
C 10/01	20	150	B - 19
C 10/02	20	200	B - 19
C 10/03	20	250	B - 19
C 10/04	20	300	B - 19
C 10/05	20	400	B - 19
C 10/06	30	450	B - 24
C 10/07	30	250	B - 24
C 10/08	30	300	B - 24
C 10/09	30	400	B - 24
C 10/10	30	450	B - 24
C 10/11	30	500	B - 24
C 10/12	30	600	B - 24
C 10/13	30	750	B - 24
C 10/14	45	400	B - 34
C 10/15	45	450	B - 34
C 10/16	45	500	B - 34
C 10/17	45	600	B - 34
C 10/18	45	750	B - 34
C 10/19	45	900	B - 34
C 10/20	45	1000	B - 34
C 10/21	65	600	B - 34
C 10/22	65	750	B - 34
C 10/23	65	900	B - 34
C 10/24	65	1000	B - 34
C 10/25	65	1200	B - 34

C 10



Contact for any type of
Custom Glass Fabrication




sabar scientific
ISO 9001 : 2008 CERTIFIED

Bridging the gap between Theory & Practical.

049

C 11



**Columns - Chromatography, with
Sintered Disc & Straight bore Glass
Stop-cock / PTFE Rotaflow Stop-cock.
Sintered Disc with Porosity Grade
(G - 1, 2 or 3)**

C 11

Cat. Ref.	Size I. D. (mm)	Effective Length (mm)
C 11/01	20	150
C 11/02	20	200
C 11/03	20	250
C 11/04	20	300
C 11/05	20	400
C 11/06	20	450
C 11/07	30	250
C 11/08	30	300
C 11/09	30	400
C 11/10	30	450
C 11/11	30	500
C 11/12	30	600
C 11/13	30	750
C 11/14	40	400
C 11/15	40	450
C 11/16	40	500
C 11/17	40	600
C 11/18	40	750
C 11/19	40	900
C 11/20	40	1000
C 11/21	65	600
C 11/22	65	750
C 11/23	65	900
C 11/24	65	1000
C 11/25	65	1200

COLUMNS - CHROMATOGRAPHY



C

**Columns - Chromatography ,
With Sintered Disc & PTFE Solid Key
Stop-cock Sintered Disc with Porosity
Grade (G - 1, 2 or 3)**

C 12

Cat. Ref.	Size I. D. (mm)	Effective Length (mm)
C 12/01	20	150
C 12/02	20	200
C 12/03	20	250
C 12/04	20	300
C 12/05	20	400
C 12/06	20	450
C 12/07	30	250
C 12/08	30	300
C 12/09	30	400
C 12/10	30	450
C 12/11	30	500
C 12/12	30	600
C 12/13	30	750
C 12/14	40	400
C 12/15	40	450
C 12/16	40	500
C 12/17	40	600
C 12/18	40	750
C 12/19	40	900
C 12/20	40	1000
C 12/21	65	600
C 12/22	65	750
C 12/23	65	900
C 12/24	65	1000
C 12/25	65	1200

C 12



Contact for any type of
Custom Glass Fabrication




sabar scientific
ISO 9001 : 2008 CERTIFIED

Bridging the gap between Theory & Practical.

051

C 13



**Columns - Chromatography, With Sintered Disc,
Reservoir & Straight bore Glass Stop-cock /
PTFE Rotaflow Stop-cock.
Sintered Disc with Porosity Grade (G - 1, 2 or 3)**

C13

Cat. Ref.	Size I.D. (mm)	Effective length (mm)	Joint Size
C 13/01	20	150	100
C 13/02	20	200	100
C 13/03	20	250	100
C 13/04	20	300	100
C 13/05	20	400	100
C 13/06	20	450	100
C 13/07	30	250	250
C 13/08	30	300	250
C 13/09	30	400	250
C 13/10	30	450	250
C 13/11	30	500	250
C 13/12	30	600	250
C 13/13	30	750	250
C 13/14	40	400	500
C 13/15	40	450	500
C 13/16	40	500	500
C 13/17	40	600	500
C 13/18	40	750	500
C 13/19	40	900	500
C 13/20	40	1000	500
C 13/21	65	600	1000
C 13/22	65	750	1000
C 13/23	65	900	1000
C 13/24	65	1000	1000
C 13/25	65	1200	1000

Broken Glassware ???...


We can repair it.

Columns - Chromatography, With Sintered Disc, Reservoir & PTFE Solid Key Stop-cock Sintered Disc with Porosity Grade (G - 1, 2 or 3)


C14

Cat. Ref.	Size I.D. (mm)	Effective length (mm)	Reservoir Capacity (ml)
C 14/01	20	150	100
C 14/02	20	200	100
C 14/03	20	250	100
C 14/04	20	300	100
C 14/05	20	400	100
C 14/06	20	450	100
C 14/07	30	250	250
C 14/08	30	300	250
C 14/09	30	400	250
C 14/10	30	450	250
C 14/11	30	500	250
C 14/12	30	600	250
C 14/13	30	750	250
C 14/14	40	400	500
C 14/15	40	450	500
C 14/16	40	500	500
C 14/17	40	600	500
C 14/18	40	750	500
C 14/19	40	900	500
C 14/20	40	1000	500
C 14/21	65	600	1000
C 14/22	65	750	1000
C 14/23	65	900	1000
C 14/24	65	1000	1000
C 14/25	65	1200	1000

C 14



C 15



Column - Chromatography, with ground joint (Socket) on Top, Sintered disc and Straight bore Glass Stop-cock / PTFE Rotaflow Stop-cock. Sintered Disc with Porosity Grade (G - 1, 2 or 3)

C 15

Cat. Ref.	Size I.D. (mm)	Effective length (mm)	Joint Size
C 15/01	20	150	B - 19
C 15/02	20	200	B - 19
C 15/03	20	250	B - 19
C 15/04	20	300	B - 19
C 15/05	20	400	B - 19
C 15/06	30	450	B - 24
C 15/07	30	250	B - 24
C 15/08	30	300	B - 24
C 15/09	30	400	B - 24
C 15/10	30	450	B - 24
C 15/11	30	500	B - 24
C 15/12	30	600	B - 24
C 15/13	30	750	B - 24
C 15/14	40	400	B - 34
C 15/15	40	450	B - 34
C 15/16	40	500	B - 34
C 15/17	40	600	B - 34
C 15/18	40	750	B - 34
C 15/19	40	900	B - 34
C 15/20	40	1000	B - 34
C 15/21	65	600	B - 34
C 15/22	65	750	B - 34
C 15/23	65	900	B - 34
C 15/24	65	1000	B - 34
C 15/25	65	1200	B - 34





Taking care of
Chemical Reactions
 Since 1972

Column - Chromatography, with ground joint (Socket) on Top, Sintered disc and PTFE Solid key stop-cock Sintered Disc with Porosity Grade (G - 1, 2 or 3)


C 16

Cat. Ref.	Size I.D. (mm)	Effective length (mm)	Joint Size
C 16/01	20	150	B - 19
C 16/02	20	200	B - 19
C 16/03	20	250	B - 19
C 16/04	20	300	B - 19
C 16/05	20	400	B - 19
C 16/06	30	450	B - 24
C 16/07	30	250	B - 24
C 16/08	30	300	B - 24
C 16/09	30	400	B - 24
C 16/10	30	450	B - 24
C 16/11	30	500	B - 24
C 16/12	30	600	B - 24
C 16/13	30	750	B - 24
C 16/14	40	400	B - 34
C 16/15	40	450	B - 34
C 16/16	40	500	B - 34
C 16/17	40	600	B - 34
C 16/18	40	750	B - 34
C 16/19	40	900	B - 34
C 16/20	40	1000	B - 34
C 16/21	65	600	B - 34
C 16/22	65	750	B - 34
C 16/23	65	900	B - 34
C 16/24	65	1000	B - 34
C 16/25	65	1200	B - 34

C 16




C 17


Reservoir Flask for Chromatography Column, with Ground Joint bottom

C 17

Cat. Ref.	Capacity (ml)	Joint Size
C 17/01	100	B - 19
C 17/02	250	B - 19
C 17/03	500	B - 19
C 17/04	250	B - 24
C 17/05	500	B - 24
C 17/06	1000	B - 24
C 17/07	1000	B - 34
C 17/08	2000	B - 34
C 17/09	3000	B - 34


C 18


Reservoir Flask for Chromatography Column - with long tube

C 18

Cat. Ref.	Capacity (ml)
C 18/01	100
C 18/02	250
C 18/03	500
C 18/04	1000
C 18/05	2000

C 19


Chromatography Sprayer with Rubber bellow


C 19

Cat. Ref.	Capacity (ml)
C 19/01	50
C 19/02	100
C 19/03	150
C 19/04	250

T.L.C. Chamber - Tall form with Flat Flange & Cover

C 20

Cat. Ref.	Size (mm) O.D. x Length
C 20/01	60 x 80
C 20/02	60 x 100
C 20/03	60 x 125
C 20/04	70 x 125
C 20/05	80 x 125




Capillary Tubes for TLC - Extra fine, machine made. Pack of 100

C 21

Cat. Ref.	Length (mm)
C 21/01	100
C 21/02	300

C 21



Condenser - Reflux (Air) with Cone - Vertical


C 22

Cat. Ref.	Joint Cone	Length (mm)
C 22/01	B - 14	200
C 22/02	B - 14	300
C 22/03	B - 14	450
C 22/04	B - 19	300
C 22/05	B - 19	450
C 22/06	B - 19	600
C 22/07	B - 24	450
C 22/08	B - 24	600
C 22/09	B - 24	750
C 22/10	B - 29	450
C 22/11	B - 29	600
C 22/12	B - 29	750
C 22/13	B - 34	450
C 22/14	B - 34	600
C 22/15	B - 34	750
C 22/16	B - 34	900


C 22



C 23



C 24



Condenser - Leibig with Cone & socket

C 23

Cat. Ref.	Joints Cone & Socket	Jacket Length (mm)
C 23/01	B-14/14	150
C 23/02	B-14/14	200
C 23/03	B-14/14	300
C 23/04	B-19/19	150
C 23/05	B-19/19	200
C 23/06	B-19/19	300
C 23/07	B-19/19	400
C 23/08	B-24/24	200
C 23/09	B-24/24	300
C 23/10	B-24/24	400
C 23/11	B-24/24	450
C 23/12	B-24/24	600
C 23/13	B-29/29	300
C 23/14	B-29/29	400
C 23/15	B-29/29	450
C 23/16	B-29/29	600
C 23/17	B-34/34	400
C 23/18	B-34/34	450
C 23/19	B-34/34	600
C 23/20	B-34/34	750

Condenser - Bulb (Allihn) with Cone & Socket

C 24

Cat. Ref.	Joints Cone & Socket	Jacket Length (mm)
C 24/01	B-14/14	150
C 24/02	B-14/14	200
C 24/03	B-14/14	300
C 24/04	B-19/19	150
C 24/05	B-19/19	200


Cat. Ref.	Joints Cone & Socket	Jacket Length (mm)
C 24/06	B-19/19	300
C 24/07	B-19/19	400
C 24/08	B-24/24	200
C 24/09	B-24/24	300
C 24/10	B-24/24	400
C 24/11	B-24/24	450
C 24/12	B-24/24	600
C 24/13	B-29/29	300
C 24/14	B-29/29	400
C 24/15	B-29/29	450
C 24/16	B-29/29	600
C 24/17	B-34/34	400
C 24/18	B-34/34	450
C 24/19	B-34/34	600
C 24/20	B-34/34	750

Condenser - Double Surface (Devis) with Cone & Socket


C 25

Cat. Ref.	Joints Cone & Socket	Jacket Length (mm)
C 25/01	B-14/14	150
C 25/02	B-14/14	200
C 25/03	B-14/14	300
C 25/04	B-19/19	150
C 25/05	B-19/19	200
C 25/06	B-19/19	300
C 25/07	B-19/19	400
C 25/08	B-24/24	200
C 25/09	B-24/24	300
C 25/10	B-24/24	400

C 24




C 25



C

CONDENSERS



C 25

Cat. Ref.	Joints Cone & Socket	Jacket Length (mm)
C 25/11	B-24/24	450
C 25/12	B-24/24	600
C 25/13	B-29/29	300
C 25/14	B-29/29	400
C 25/15	B-29/29	450
C 25/16	B-29/29	600
C 25/17	B-34/34	400
C 25/18	B-34/34	450
C 25/19	B-34/34	600
C 25/20	B-34/34	750

Condenser - Single Coil with Cone & Socket

C 26

Cat. Ref.	Joints Cone & Socket	Jacket Length (mm)
C 26/01	B-14/14	150
C 26/02	B-14/14	200
C 26/03	B-14/14	300
C 26/04	B-19/19	150
C 26/05	B-19/19	200
C 26/06	B-19/19	300
C 26/07	B-19/19	400
C 26/08	B-24/24	200
C 26/09	B-24/24	300
C 26/10	B-24/24	400
C 26/11	B-24/24	450
C 26/12	B-24/24	600
C 26/13	B-29/29	300
C 26/14	B-29/29	400
C 26/15	B-29/29	450

CONDENSERS


C

Cat. Ref.	Joints Cone & Socket	Jacket Length (mm)
C 26/16	B-29/29	600
C 26/17	B-34/34	400
C 26/18	B-34/34	450
C 26/19	B-34/34	600
C 26/20	B-34/34	750

Condenser - Jacketed Coil with Cone & Socket

C 27


Cat. Ref.	Joints Cone & Socket	Jacket Length (mm)
C 27/01	B-14/14	150
C 27/02	B-14/14	200
C 27/03	B-14/14	300
C 27/04	B-19/19	150
C 27/05	B-19/19	200
C 27/06	B-19/19	300
C 27/07	B-19/19	400
C 27/08	B-24/24	200
C 27/09	B-24/24	300
C 27/10	B-24/24	400
C 27/11	B-24/24	450
C 27/12	B-24/24	600
C 27/13	B-29/29	300
C 27/14	B-29/29	400
C 27/15	B-29/29	450
C 27/16	B-29/29	600
C 27/17	B-34/34	400
C 27/18	B-34/34	450
C 27/19	B-34/34	600
C 27/20	B-34/34	750




C

CONDENSERS

C 28



C 29



Condenser - Coiled Distillate (Graham) with Cone & socket

C 28

Cat. Ref.	Joints Cone & Socket	Jacket Length (mm)
C 28/01	B-14/14	150
C 28/02	B-14/14	200
C 28/03	B-14/14	300
C 28/04	B-19/19	150
C 28/05	B-19/19	200
C 28/06	B-19/19	300
C 28/07	B-19/19	400
C 28/08	B-24/24	200
C 28/09	B-24/24	300
C 28/10	B-24/24	400
C 28/11	B-24/24	450
C 28/12	B-24/24	600

Condenser - Double Coil with Cone & socket

C 29

Cat. Ref.	Joints Cone & Socket	Jacket Length (mm)
C 29/01	B-24/24	450
C 29/02	B-24/24	600
C 29/03	B-29/29	450
C 29/04	B-29/29	600
C 29/05	B-34/34	450
C 29/06	B-34/34	600


Contact for any type of
Custom Glass Fabrication

Condenser - Vertical - for Water Distillation with Recovery tube

C 30

Cat. Ref.	Joint Cone & Socket	Jacket Length (mm)
C 30/01	B - 24	300
C 30/02	B - 24	450
C 30/03	B - 34	400
C 30/04	B - 34	450
C 30/05	B - 34	600
C 30/06	B - 55	450
C 30/07	B - 55	600

C 30



C 31 / C 32

Cylinders - Nessler, colour comparison, Graduated, Flat bottom, Class "A" with Test Certificate.

C 31

Cat. Ref.	Capacity (ml)	Tolerance (\pm ml)
CA 31/01	50	0.400
CA 31/02	100	0.800

Cylinders - Nessler, colour comparison, Graduated, Flat bottom, Class B.

C 32

Cat. Ref.	Capacity (ml)	Size O. D. x Height (mm)
C 32/01	50	26 X 150
C 32/02	100	34 X 180


Taking care of
Chemical Reactions
 Since 1972



C

CYLINDERS

C 33




Cylinders - Measuring, with I/C. Stopper, Round Base, Class "A", with Test Certificate.

Not Covered Under I.S.

C 33

Cat. Ref.	Capacity (ml)	Tolerance (\pm ml)
C 33/01	5	0.050
C 33/02	10	0.100
C 33/03	25	0.250
C 33/04	50	0.500
C 33/05	100	0.500
C 33/06	250	1.000
C 33/07	500	2.500
C 33/08	1000	5.000
C 33/09	2000	10.000

C 34



Cylinders- Measuring, with I/C. Stopper (Round Base), Class B.

C 34

Cat. Ref.	Capacity (ml)	Graduation Interval (mm)	Tolerance (\pm ml)	Stopper Size
C 34/01	5	0.100	0.100	B - 10
C 34/02	10	0.200	0.200	B - 10
C 34/03	25	0.500	0.500	B - 14
C 34/04	50	1.000	1.000	B - 14
C 34/05	100	1.000	1.000	B - 19
C 34/06	250	2.000	2.000	B - 24
C 34/07	500	5.000	5.000	B - 24
C 34/08	1000	10.000	10.000	B - 34
C 34/09	2000	20.000	20.000	B - 34

Broken Glassware ???...

We can repair it.

Cylinders - Measuring with I/C. Stopper, Hexagonal Base, Class "A", with Test Certificate.

Not Covered Under I.S.

C 35


Cat. Ref.	Capacity (ml)	Tolerance (±ml)
C 35/01	5	0.050
C 35/02	10	0.100
C 35/03	25	0.250
C 35/04	50	0.500
C 35/05	100	0.500
C 35/06	250	1.000
C 35/07	500	2.500
C 35/08	1000	5.000
C 35/09	2000	10.000

Cylinders- Measuring, with I/C. Stopper, Hexagonal Base, Class B.

C 36

Cat. Ref.	Capacity (ml)	Graduation Interval (mm)	Tolerance (±ml)	Stopper Size
C 36/01	5	0.100	0.100	B - 10
C 36/02	10	0.200	0.200	B - 10
C 36/03	25	0.500	0.500	B - 14
C 36/04	50	1.000	1.000	B - 14
C 36/05	100	1.000	1.000	B - 19
C 36/06	250	2.000	2.000	B - 24
C 36/07	500	5.000	5.000	B - 24
C 36/08	1000	10.000	10.000	B - 34
C 36/09	2000	20.000	20.000	B - 34

C 35




C 36



Contact for any type of
Custom Glass Fabrication

C 37 / C 38



**Cylinders - Measuring, with Pour out,
Round Base, Class "A", with Test Certificate.**
Not Covered Under I.S.

C 37

Cat. Ref.	Capacity (ml)	Tolerance (\pm ml)
C 37/01	5	0.050
C 37/02	10	0.100
C 37/03	25	0.250
C 37/04	50	0.500
C 37/05	100	0.500
C 37/06	250	1.000
C 37/07	500	2.500
C 37/08	1000	5.000
C 37/09	2000	10.000

**Cylinders - Measuring, With Pour out ,
Round Base , Class B.**

C 38

Cat. Ref.	Capacity (ml)	Graduation Interval	Tolerance (\pm ml)
C 38/01	5	0.100	0.100
C 38/02	10	0.200	0.200
C 38/03	25	0.500	0.500
C 38/04	50	1.000	1.000
C 38/05	100	1.000	1.000
C 38/06	250	2.000	2.000
C 38/07	500	5.000	5.000
C 38/08	1000	10.000	10.000
C 38/09	2000	20.000	20.000



Taking care of
Chemical Reactions
Since 1972

**Cylinders - Measuring, with Pour out,
Hexagonal Base, Class "A",
with Test Certificate**

Not Covered Under I.S.

C 39


Cat. Ref.	Capacity (ml)	Tolerance (\pm ml)
C 39/01	5	0.050
C 39/02	10	0.100
C 39/03	25	0.250
C 39/04	50	0.500
C 39/05	100	0.500
C 39/06	250	1.000
C 39/07	500	2.500
C 39/08	1000	5.000
C 39/09	2000	10.000

C 39 / C 40

**Cylinders - Graduated With Pour out,
Hexagonal Base, Class B**

C 40


Cat. Ref.	Capacity (ml)	Graduation Interval	Tolerance (\pm ml)
C 40/01	5	0.100	0.100
C 40/02	10	0.200	0.200
C 40/03	25	0.500	0.500
C 40/04	50	1.000	1.000
C 40/05	100	1.000	1.000
C 40/06	250	2.000	2.000
C 40/07	500	5.000	5.000
C 40/08	1000	10.000	10.000
C 40/09	2000	20.000	20.000



C

CYLINDERS

C 41




**Cylinders - Crow Receiver,
with Pour out, Round Base**

C 41

Cat. Ref.	Capacity (m.)
C 41/01	25
C 41/02	50
C 41/03	100

C 42



**Cylinders - Crow Receiver, with
I/C. Stopper (Round Base), Class B**

C 42

Cat. Ref.	Capacity (m.)
C 42/01	25
C 42/02	50
C 42/03	100


Contact for any type of
Custom Glass Fabrication

Dishes - Culture, Petri - Top & Bottom

D 01

Cat. Ref.	Size D x H (mm)
D 01/01	50 x 17
D 01/02	80 x 17
D 01/03	100 x 17
D 01/04	100 x 20
D 01/05	150 x 20
D 01/06	200 x 20

D 01




Dishes - Crystallizing, Flat bottom

D 02

Cat. Ref.	Size D x H (mm)	Capacity (ml)
D 02/01	100 x 50	300
D 02/02	150 x 75	1000
D 02/03	190 x 100	2000

D 02




Dishes - Evaporating, with Pour out

D 03


Cat. Ref.	Size D x H (mm)
D 03/01	80 x 45
D 03/02	105 x 55
D 03/03	150 x 80
D 03/04	200 x 100

D 03



Taking care of
Chemical Reactions
Since 1972

D 04



Dean & Stark Receivers - For Moisture Estimation, with Stop-cock

D 04


Cat. Ref.	Cone & Socket	Capacity (ml)
D 04/01	B-14/14	5
D 04/02	B-19/19	5
D 04/03	B-19/19	10
D 04/04	B-24/24	10
D 04/05	B-24/24	25
D 04/06	B-29/29	25
D 04/07	B-29/29	50
D 04/08	B-34/34	25
D 04/09	B-34/34	50

Receivers for Estimation of Volatile Oils Lighter than Water (Clevenger type)

D 05

Cat. Ref.	Cone & Socket	Capacity (ml)
D 05/01	B-14/14	5
D 05/02	B-19/19	5
D 05/03	B-19/19	10
D 05/04	B-24/24	10
D 05/05	B-24/24	25
D 05/06	B-29/29	25
D 05/07	B-29/29	50
D 05/08	B-34/34	25
D 05/09	B-34/34	50

D 05



Contact for any type of
Custom Glass Fabrication

RECEIVERS - CLEVENGER


D

Receivers for Estimation of Volatile Oils Heavier than Water (Clevenger type)

D 06

Cat. Ref.	Cone & Socket	Capacity (ml)
D 06/01	B-14/14	5
D 06/02	B-19/19	5
D 06/03	B-19/19	10
D 06/04	B-24/24	10
D 06/05	B-24/24	25
D 06/06	B-29/29	25
D 06/07	B-29/29	50
D 06/08	B-34/34	25
D 06/09	B-34/34	50

D 06




Desiccators - with Cover, Knob Top (made from Hard Borosilicate Glass), with Porcelain Perforated Plate

D 07

Cat. Ref.	Size Dia. (mm)
D 07/01	100
D 07/02	150
D 07/03	210
D 07/04	240
D 07/05	300

D 07




Desiccators, Vacuum - with Cover, Stopper with Stop-cock (made from Hard Borosilicate Glass)


D 08

Cat. Ref.	Size Dia. (mm)
D 08/01	150
D 08/02	210
D 08/03	240
D 08/04	300

D 08



E 01



Extraction Apparatus, Soxhlet - complete with Allihn (Bulb) Condenser


E01

Cat. Ref.	Extractor Capacity (ml)	Flask Capacity (ml)
E 01/01	60	150
E 01/02	100	250
E 01/03	200	500
E 01/04	500	2000
E 01/05	1000	3000
E 01/06	2000	5000

Prices for Large Capacity Solid - Liquid and Liquid - Liquid Extraction Units on Request



Taking care of
Chemical Reactions
Since 1972



PILOT SCALE SOLID - LIQUID EXTRACTION UNIT

Extractors only - for Extraction Apparatus

E 02

Cat. Ref.	Extractor Capacity (ml)	Group Joint Top	Ground Joint Bottom
E 02/01	60	B - 34	B - 24
E 02/02	100	B - 40	B - 24
E 02/03	200	B - 50	B - 24
E 02/04	500	B - 55	B - 34
E 02/05	1000	B - 55	B - 34
E 02/06	2000	B - 55	B - 34

Condensers only - for Extraction Apparatus

E 03


Cat. Ref.	Extractor Capacity (ml)	Ground Joint Bottom
E 03/01	60	B - 34
E 03/02	100	B - 40
E 03/03	200	B - 50
E 03/04	500	B - 55
E 03/05	1000	B - 55
E 03/06	2000	B - 55

Flask only - for Extraction Apparatus (Flat / Round bottom)


E 04

Cat. Ref.	Capacity (ml)	Neck Size
E 04/01	150	B - 24
E 04/02	250	B - 24
E 04/03	500	B - 24
E 04/04	1000	B - 34
E 04/05	2000	B - 34
E 04/06	3000	B - 34
E 04/07	5000	B - 34

E 02




E 03




E 04



F 01



F 02

**Flasks - Conical Narrow Mouth, Graduated**

F 01

Cat. Ref.	Capacity (ml)
F 01/01	10
F 01/02	25
F 01/03	50
F 01/04	100
F 01/05	150
F 01/06	250
F 01/07	500
F 01/08	1000
F 01/09	2000
F 01/10	3000
F 01/11	5000
F 01/12	10000

**Flasks - Conical - Narrow mouth
- Amber Glass**

F 02

Cat. Ref.	Capacity (ml)
F 02/01	25
F 02/02	50
F 02/03	100
F 02/04	150
F 02/05	250
F 02/06	500
F 02/07	1000
F 02/08	2000

Taking care of
Chemical Reactions
 Since 1972

FLASKS - CONICAL



Flasks - Conical, with Interchangeable Joint & Stopper, Clear Glass.

F 03

Cat. Ref.	Capacity (ml)	Stopper Size
F 03/01	25	B-14
F 03/02	50	B-19
F 03/03	100	B-24
F 03/04	250	B-24
F 03/05	500	B-24
F 03/06	1000	B-34
F 03/07	2000	B-34

Flasks - Conical - Narrow mouth - Stoppered, Amber Glass

F 04


Cat. Ref.	Capacity (ml)
F 04/01	25
F 04/02	50
F 04/03	100
F 04/04	150
F 04/05	250
F 04/06	500
F 04/07	1000
F 04/08	2000

Flasks - Conical - wide mouth - with Screw cap, Clear Glass


F 05

Cat. Ref.	Capacity (ml)
F 05/01	100
F 05/02	150
F 05/03	250
F 05/04	500
F 05/05	1000
F 05/06	2000


F 02




F 04



F 05




F 06


**Flasks - Conical - wide mouth -
with Screw cap, Amber Glass**

F 06

Cat. Ref.	Capacity (ml)
F 06/01	100
F 06/02	150
F 06/03	250
F 06/04	500
F 06/05	1000
F 06/06	2000


F 07


**Baffled Conical Flasks -
For Microbiology, Clear Glass.**

F 07

Cat. Ref.	Capacity (ml)	No. of Baffles
F 07/01	100	1
F 07/02	250	2
F 07/03	500	3
F 07/04	1000	3
F 07/05	2000	4

F 08


Flasks - Iodine with interchangeable stopper

F 08

Cat. Ref.	Capacity (ml)	Stopper Size
F 08/01	100	B - 24
F 08/02	250	B - 24
F 08/03	500	B - 24
Spare Stopper		
F 08/04		B - 24

Contact for any type of
Custom Glass Fabrication

FLASKS - FILTERING / DISTILLATION / KJELDAHL




Flasks - Filtering, Heavy Wall, Bolt Neck, with Tube connection

F 09

Cat. Ref.	Capacity (ml)
F 09/01	50
F 09/02	100
F 09/03	250
F 09/04	500
F 09/05	1000
F 09/06	2000
F 09/07	5000
F 09/08 #	10000
F 09/09 #	20000

Bottle Shape

F 09




Flasks - Distillation, Round bottom, with side tube

F 10

Cat. Ref.	Capacity (ml)
F 10/01	100
F 10/02	125
F 10/03	250
F 10/04	500
F 10/05	1000

F 10




Flasks - Kjeldahl, Round Bottom, Plain - Long neck


F 11

Cat. Ref.	Capacity (ml)
F 11/01	10
F 11/02	30
F 11/03	100
F 11/04	300
F 11/05	500
F 11/06	800


F 11




F 12



F 13



F 14



Flasks - Kjeldahl, Round Bottom with Ground Joint

F12

Cat. Ref.	Capacity (ml)	Socket Size
F 12/01	300	B - 24
F 12/02	500	B - 24
F 12/03	800	B - 24

Flasks - Pear shape, Short neck, with Ground Joint.

F13

Cat. Ref.	Capacity (ml)	Socket Size
F 13/01	10	B-14
F 13/02	25	B-14
F 13/03	50	B-14
F 13/04	100	B-24

Flasks - Volumetric, Clear Glass, Class "A", with Test Certificate, as per I.S. 915 : 2006.

F14

Cat. Ref.	Capacity (ml)	Tolerance (\pm ml)	Stopper Size
F 14/01	1	0.015	C - 10
F 14/02	2	0.015	C - 10
F 14/03	5	0.025	C - 10
F 14/04	10	0.025	C - 10
F 14/05	20	0.040	C - 10
F 14/06	25	0.040	C - 10
F 14/07	50	0.060	C - 14
F 14/08	100	0.100	C - 14
F 14/09	200	0.150	C - 14
F 14/10	250	0.150	C - 14
F 14/11	500	0.250	C - 19
F 14/12	1000	0.400	C - 19
F 14/13	2000	0.600	C - 24
F 14/14	5000	2.000	B - 34


FLASKS - VOLUMETRIC



Flasks - Volumetric, Clear Glass, Class B, as per I.S. 915 : 2006.

F15


Cat. Ref.	Capacity (ml)	Tolerance (\pm ml)	Stopper Size
F 15/01	1	0.030	C - 10
F 15/02	2	0.030	C - 10
F 15/03	5	0.050	C - 10
F 15/04	10	0.050	C - 10
F 15/05	20	0.800	C - 10
F 15/06	25	0.800	C - 10
F 15/07	50	0.120	C - 14
F 15/08	100	0.200	C - 14
F 15/09	200	0.300	C - 14
F 15/10	250	0.300	C - 14
F 15/11	500	0.500	C - 19
F 15/12	1000	0.800	C - 19
F 15/13	2000	1.200	C - 24
F 15/14	5000	2.400	B - 34




Flasks - Volumetric, Amber Glass, Class "A", with Test Certificate, as per I.S. 915 : 2006.

F16

Cat. Ref.	Capacity (ml)	Tolerance (\pm ml)	Socket Size
F 16/01	1	0.015	C - 10
F 16/02	2	0.015	C - 10
F 16/03	5	0.025	C - 10
F 16/04	10	0.025	C - 10
F 16/05	20	0.040	C - 10
F 16/06	25	0.040	C - 10
F 16/07	50	0.060	C - 10
F 16/08	100	0.100	C - 14
F 16/09	200	0.150	C - 14
F 16/10	250	0.150	C - 14
F 16/11	500	0.250	C - 19
F 16/12	1000	0.400	C - 19
F 16/13	2000	0.600	C - 24



F 17



Flasks - Volumetric, Amber Glass, Class B,
as per I.S. 915 : 2006.

F17

Cat. Ref.	Capacity (ml)	Tolerance (\pm ml)	Stopper Size
F 17/01	1	0.020	C - 10
F 17/02	2	0.030	C - 10
F 17/03	5	0.050	C - 10
F 17/04	10	0.050	C - 10
F 17/05	20	0.080	C - 10
F 17/06	25	0.080	C - 10
F 17/07	50	0.120	C - 10
F 17/08	100	0.200	C - 14
F 17/09	200	0.300	C - 14
F 17/10	250	0.300	C - 14
F 17/11	500	0.500	C - 19
F 17/12	1000	0.800	C - 19
F 17/13	2000	1.200	C - 24

Flasks - Round Bottom, Plain Neck

F18



F 18

Cat. Ref.	Capacity (ml)
F 18/01	25
F 18/02	50
F 18/03	100
F 18/04	150
F 18/05	250
F 18/06	500
F 18/07	1000
F 18/08	2000
F 18/09	3000
F 18/10	5000
F 18/11	10000
F 18/12	20000

FLASKS - ROUND BOTTOM



Flasks - Flat Bottom, Plain Neck

F 19

Cat. Ref.	Capacity (ml)
F 19/01	25
F 19/02	50
F 19/03	100
F 19/04	150
F 19/05	250
F 19/06	500
F 19/07	1000
F 19/08	2000
F 19/09	3000
F 19/10	5000
F 19/11	10000
F 19/12	20000

F 19



Flasks - Round Bottom, with Ground Joint, Single Neck

F 20

Cat. Ref.	Capacity (ml)	Neck Size
F 20/01	5	B - 14
F 20/02	10	B - 14
F 20/03	25	B - 14
F 20/04	50	B - 14
F 20/05	50	B - 19
F 20/06	100	B - 19
F 20/07	100	B - 24
F 20/08	100	B - 29
F 20/09	150	B - 24
F 20/10	150	B - 29
F 20/11	250	B - 19
F 20/12	250	B - 24
F 20/13	250	B - 29
F 20/14	250	B - 34
F 20/15	500	B - 19


Broken Glassware ???...
We can repair it.

F 20



FLASKS - ROUND BOTTOM (MULTI NECK)

F 20



F 20

Cat. Ref.	Capacity (ml)	Neck Size
F 20/16	500	B - 24
F 20/17	500	B - 29
F 20/18	500	B - 34
F 20/19	1000	B - 24
F 20/20	1000	B - 29
F 20/21	1000	B - 34
F 20/22	2000	B - 24
F 20/23	2000	B - 29
F 20/24	2000	B - 34
F 20/25	3000	B - 29
F 20/26	3000	B - 34
F 20/27	5000	B - 34
F 20/28	10000	B - 34
F 20/29	10000	B - 55
F 20/30	20000	B - 34
F 20/31	20000	B - 55

F 21



F 21

Flasks - Round Bottom, with Ground Joint, Two Neck

Cat. Ref.	Capacity (ml)	Center Neck	Side Neck
F 21/01	10	B - 14	B - 10
F 21/02	25	B - 14	B - 14
F 21/03	50	B - 19	B - 14
F 21/04	100	B - 24	B-19 or 24
F 21/05	150	B - 24	B-19 or 24
F 21/06	250	B - 24	B-19 or 24
F 21/07	250	B-29 or 34	B-19 or 24
F 21/08	500	B - 24	B-19 or 24
F 21/09	500	B-29 or 34	B-19 or 24
F 21/10	1000	B - 24	B-19 or 24
F 21/11	1000	B-29 or 34	B - 24

FLASKS - ROUND BOTTOM (MULTI NECK)

F



Cat. Ref.	Capacity (ml)	Center Neck	Side Neck
F 21/12	2000	B - 24	B - 24
F 21/13	2000	B-29 or 34	B - 24
F 21/14	3000	B - 34	B - 24
F 21/15	5000	B - 34	B - 24
F 21/16	10000	B - 34	B - 24
F 21/17	10000	B - 55	B - 34
F 21/18	20000	B - 34	B - 24
F 21/19	20000	B - 55	B - 34

Flasks - Round Bottom, with Ground Joint, Three Neck

F 22


Cat. Ref.	Capacity (ml)	Center Neck	Side Neck
F 22/01	25	B - 19	B - 14
F 22/02	50	B - 19	B - 14
F 22/03	100	B - 24	B-19 or 24
F 22/04	150	B - 24	B-19 or 24
F 22/05	250	B - 24	B-19 or 24
F 22/06	250	B-29 or 34	B-19 or 24
F 22/07	500	B - 24	B-19 or 24
F 22/08	500	B-29 or 34	B-19 or 24
F 22/09	1000	B - 24	B-19 or 24
F 22/10	1000	B-29 or 34	B - 24
F 22/11	2000	B - 24	B - 24
F 22/12	2000	B-29 or 34	B - 24
F 22/13	3000	B - 34	B - 24
F 22/14	5000	B - 34	B - 24
F 22/15	10000	B - 34	B - 24
F 22/16	10000	B - 55	B - 34
F 22/17	20000	B - 34	B - 24
F 22/18	20000	B - 55	B - 34

F 22



Flasks - Round Bottom, with Ground Joint, Four Neck


F 23



Cat. Ref.	Capacity (ml)	Center Neck	Side Neck
F 23/01	100	B - 24	B-19 or 24
F 23/02	150	B - 24	B-19 or 24
F 23/03	250	B - 24	B-19 or 24
F 23/04	250	B-29 or 34	B-19 or 24
F 23/05	500	B - 24	B-19 or 24
F 23/06	500	B-29 or 34	B-19 or 24
F 23/07	1000	B - 24	B-19 or 24
F 23/08	1000	B-29 or 34	B - 24
F 23/09	2000	B - 24	B - 24
F 23/10	2000	B-29 or 34	B - 24
F 23/11	3000	B - 34	B - 24
F 23/12	5000	B - 34	B - 24
F 23/13	10000	B - 34	B - 24
F 23/14	10000	B - 55	B - 34
F 23/15	20000	B - 34	B - 24
F 23/16	20000	B - 55	B - 34

Flasks - Round Bottom, with Ground Joint, Five Neck

F 24



Cat. Ref.	Capacity (ml)	Center Neck	Side Neck
F 24/01	250	B - 24	B-19 or 24
F 24/02	250	B-29 or 34	B-19 or 24
F 24/03	500	B - 24	B-19 or 24
F 24/04	500	B-29 or 34	B-19 or 24
F 24/05	1000	B - 24	B-19 or 24
F 24/06	1000	B-29 or 34	B - 24
F 24/07	2000	B - 24	B - 24
F 24/08	2000	B-29 or 34	B - 24
F 24/09	3000	B - 34	B - 24
F 24/10	5000	B - 34	B - 24
F 24/11	10000	B - 34	B - 24
F 24/12	10000	B - 55	B - 34
F 24/13	20000	B - 34	B - 24
F 24/14	20000	B - 55	B - 34

FLASKS - REACTION VESSELS




Flasks - Wide Mouth - Reaction Vessel Flat Flange - 100 mm I.D., 150 mm O.D.

F 25

Cat. Ref.	Capacity (ml)
F 25/01	1000
F 25/02	2000
F 25/03	3000
F 25/04	5000
F 25/05	10000
F 25/06	20000

F 25




Lids for Reaction Vessel, Flat Flange, 100 mm I.D., 150 mm O.D.

F 26


Cat. Ref.	No. of Necks
F 26/01	One
F 26/02	Two
F 26/03	Three
F 26/04	Four
F 26/05	Five

F 26




S.S. Clip for Reaction Vessels

Cat. Ref.	Size
F 26/06	100 X 150



F 27




Reaction Kettle, Flat Flange

F 27

Cat. Ref.	Capacity (ml)	Inner Dia. (mm)	Height (mm)
F 27/01	500	77	140
F 27/02	1000	105	150
F 27/03	2000	105	300
F 27/04	3000	155	210
F 27/05	4000	155	280
F 27/06	5000	155	350


F 28

Lids for Reaction Kettle,
Flat Flange - Multi neck

F 28

Cat. Ref.	Capacity (ml)
F 28/01	500
F 28/02	1000
F 28/03	2000
F 28/04	3000
F 28/05	4000
F 28/06	5000

F 29



S.S. Clip for Reaction Vessel & Kettle

F 29

Cat. Ref.	Capacity (ml)
F 29/01	500
F 29/02	1000 / 2000
F 29/03	3000 / 4000 / 5000

PTFE Envelop gasket for Reaction Vessels

Cat. Ref.	Size
F 29/04	80 x 125
F 29/05	100 x 150
F 29/06	150 x 200



FLASKS - ROTAVAPOR / FUNNELS




Flasks - Rotavapour, with Ground Joint

F 30

Cat. Ref.	Capacity (ml)	Neck Size
F 30/01	25	B - 14
F 30/02	50	B - 14
F 30/03	100	B - 29
F 30/04	250	B - 29
F 30/05	500	B - 29
F 30/06	1000	B - 29
F 30/07	2000	B - 29
F 30/08	3000	B - 29

F 30




Flasks - Receiver for Rotavapour, with Cup Joint

F 31

Cat. Ref.	Capacity (ml)	Neck Size
F 31/01	50	S - 35
F 31/02	100	S - 35
F 31/03	250	S - 35
F 31/04	500	S - 35
F 31/05	1000	S - 35
F 31/06	2000	S - 35

F 31




Funnel - Filter, Plain - 60°


F 32

Cat. Ref.	Diameter (mm)
F 32/01	25
F 32/02	50
F 32/03	65
F 32/04	75
F 32/05	100
F 32/06	125
F 32/07	150

F 32



F 33




Funnel, Powder, Plain, Short stem

F 33

Cat. Ref.	Diameter (mm)
F 33/01	75
F 33/02	100
F 33/03	125
F 33/04	150
F 33/05	200
F 33/06	250

F 34



Funnel, Powder, with Ground Joint (Cone)

F 34

Cat. Ref.	Diameter (mm)	Cone Size
F 34/01	50	B - 14
F 34/02	65	B - 14
F 34/03	65	B - 19
F 34/04	75	B - 19
F 34/05	75	B - 24
F 34/06	100	B - 24
F 34/07	100	B - 29
F 34/08	100	B - 34
F 34/09	125	B - 24
F 34/10	125	B - 29
F 34/11	125	B - 34
F 34/12	150	B - 34
F 34/13	200	B - 34



Taking care of
Chemical Reactions
Since 1972

FUNNELS - ADDITION / DROPPING



**Funnel - Addition / Dropping ,
Open Top, Cylindrical
with Straight Bore Glass Stop-cock OR
PTFE Rotaflow Stop-cock.**

F 35


Cat. Ref.	Capacity (ml)	Ground Joint
F 35/01	25	B-14
F 35/02	50	B-14
F 35/03	50	B-19
F 35/04	100	B-14
F 35/05	100	B-19
F 35/06	100	B-24
F 35/07	250	B-19
F 35/08	250	B-24
F 35/09	500	B-24
F 35/10	500	B-34
F 35/11	1000	B-24
F 35/12	1000	B-34

**Funnel - Addition / Dropping , Open Top,
Cylindrical with PTFE Solid Key Stop-cock.**

F 36

Cat. Ref.	Capacity (ml)	Neck Size
F 36/01	25	B-14
F 36/02	50	B-14
F 36/03	50	B-19
F 36/04	100	B-14
F 36/05	100	B-19
F 36/06	100	B-24
F 36/07	250	B-19
F 36/08	250	B-24
F 36/09	500	B-24
F 36/10	500	B-34
F 36/11	1000	B-24
F 36/12	1000	B-34


F 35




F 36



F 37



F 38



**Funnel - Addition / Dropping,
with Socket, Cylindrical
with Straight Bore Glass Stop-cock OR
PTFE Rotaflow Stop-cock.**

F 37

Cat. Ref.	Capacity (ml)	Ground Joint
F 37/01	25	B-14/14
F 37/02	50	B-14/14
F 37/03	50	B-19/19
F 37/04	100	B-14/14
F 37/05	100	B-19/19
F 37/06	100	B-24/24
F 37/07	250	B-19/19
F 37/08	250	B-24/24
F 37/09	500	B-24/24
F 37/10	500	B-34/34
F 37/11	1000	B-24/24
F 37/12	1000	B-34/34

**Funnel - Addition / Dropping, with Socket,
Cylindrical with PTFE Solid Key Stop-cock.**

F 38


Cat. Ref.	Capacity (ml)	Ground Joint
F 38/01	25	B-14/14
F 38/02	50	B-14/14
F 38/03	50	B-19/19
F 38/04	100	B-14/14
F 38/05	100	B-19/19
F 38/06	100	B-24/24
F 38/07	250	B-19/19
F 38/08	250	B-24/24
F 38/09	500	B-24/24
F 38/10	500	B-34/34
F 38/11	1000	B-24/24
F 38/12	1000	B-34/34

**Funnel - Addition / Dropping,
with Socket, Cylindrical
with Straight Bore Glass Stop-cock OR
PTFE Rotaflow Stop-cock, Graduated.**

F 39

Cat. Ref.	Capacity (ml)	Ground Joint
F 39/01	50	B-19/24
F 39/02	100	B-19/24
F 39/03	250	B-19/24
F 39/04	500	B-24/34
F 39/05	1000	B-24/34

F 39



**Funnel - Addition / Dropping,
with Socket, Cylindrical with
PTFE Solid Key Stop-cock, Graduated.**

F 40

Cat. Ref.	Capacity (ml)	Ground Joint
F 40/01	50	B-19/24
F 40/02	100	B-19/24
F 40/03	250	B-19/24
F 40/04	500	B-24/34
F 40/05	1000	B-24/34

F 40




**Funnel - Addition / Dropping,
Pressure Equalising, Cylindrical with
Straight Bore Glass Stop-cock OR
PTFE Rotaflow Stop-cock.**


F 41

Cat. Ref.	Capacity (ml)	Ground Joint
F 41/01	25	B-14/14
F 41/02	50	B-14/14
F 41/03	50	B-19/19
F 41/04	100	B-14/14
F 41/05	100	B-19/19
F 41/06	100	B-24/24

F 41



F 42



F 41

Cat. Ref.	Capacity (ml)	Ground Joint
F 41/07	250	B-19/19
F 41/08	250	B-24/24
F 41/09	500	B-24/24
F 41/10	500	B-34/34
F 41/11	1000	B-24/24
F 41/12	1000	B-34/34

**Funnel - Addition / Dropping,
Pressure Equalising, Cylindrical with
PTFE Solid Key Stop-cock.**

F 42

Cat. Ref.	Capacity (ml)	Ground Joint
F 42/01	25	B-14/14
F 42/02	50	B-14/14
F 42/03	50	B-19/19
F 42/04	100	B-14/14
F 42/05	100	B-19/19
F 42/06	100	B-24/24
F 42/07	250	B-19/19
F 42/08	250	B-24/24
F 42/09	500	B-24/24
F 42/10	500	B-34/34
F 42/11	1000	B-24/24
F 42/12	1000	B-34/34

Contact for any type of
Custom Glass Fabrication

FUNNELS - ADDITION / DROPPING / SEPARATING



Funnel - Addition / Dropping, Pressure Equalising, Cylindrical with Straight Bore Glass Stop-cock OR PTFE Rotaflow Stop-cock, Graduated.

F 43

Cat. Ref.	Capacity (ml)	Ground Joint
F 43/01	50	B-19/24
F 43/02	100	B-19/24
F 43/03	250	B-19/24
F 43/04	500	B-24/34

Funnel - Addition / Dropping, Pressure Equalising, Cylindrical with PTFE Solid Key Stop-cock, Graduated.

F 44


Cat. Ref.	Capacity (ml)	Ground Joint
F 44/01	50	B-19/24
F 44/02	100	B-19/24
F 44/03	250	B-19/24
F 44/04	500	B-24/34

Funnel - Separating, Globe Shape, with Straight Bore Glass Stop-cock OR PTFE Rotaflow Stop-cock.


F 45

Cat. Ref.	Capacity (ml)	Stopper Size
F 45/01	125	B - 19
F 45/02	250	B - 19
F 45/03	500	B - 24
F 45/04	1000	B - 29
F 45/05	2000	B - 34
F 45/06	3000	B - 34
F 45/07	5000	B - 34
F 45/08	10000	B - 34
F 45/09	20000	B - 55


F 43




F 44




F 45



F 46



F 47


**Funnels - Separating, Globe Shape,
with PTFE Solid Key Stop-cock.**

F 46

Cat. Ref.	Capacity (ml)	Stopper Size
F 46/01	125	B - 19
F 46/02	250	B - 19
F 46/03	500	B - 24
F 46/04	1000	B - 29
F 46/05	2000	B - 34
F 46/06	3000	B - 34
F 46/07	5000	B - 34
F 46/08	10000	B - 34
F 46/09	20000	B - 55

**Funnel Separating, Pear shape,
with Straight Bore Glass Stop-cock OR
PTFE Rotaflow Stop-cock.**

F 47

Cat. Ref.	Capacity (ml)
F 47/01	25
F 47/02	60
F 47/03	125
F 47/04	250
F 47/05	500
F 47/06	1000
F 47/07	2000
F 47/08	3000
F 47/09	5000

Broken Glassware ???...

We can repair it.

FUNNELS - SEPARATING / JACKETED REACTORS




Funnel Separating, Pear shape, with PTFE Solid Key Stop-cock.


F 48

Cat. Ref.	Capacity (ml)
F 48/01	25
F 48/02	60
F 48/03	125
F 48/04	250
F 48/05	500
F 48/06	1000
F 48/07	2000
F 48/08	3000
F 48/09	5000

F 48



F 49



Filter Pump - College Pattern Glass - for Ejector application.

F 49


Cat. Ref.
F 49/01

Glass Jacketed Reactor, Flat bottom, Open Top, Type A & B


F 50

Cat. Ref.	Capacity (ml)	Inner Vessel Size (Dia. x Height) (mm)
F 50/01	100	45 x 75
F 50/02	250	65 x 100
F 50/03	500	75 x 135
F 50/04	1000	105 x 150
F 50/05	2000	105 x 300

F 50 A



F 50 B




Glass Jacketed Reactor, Flat bottom, Flat Flange, for Multi Neck Type A & B


F 51

Cat. Ref.	Capacity (ml)	Inner Vessel Size (Dia. x Height) (mm)
F 51/01	500	75 x 135
F 51/02	1000	105 x 150
F 51/03	2000	105 x 300


F 51 A




F 51 B



F 52 A



F 52 B



Glass Jacketed Reactor, with bottom outlet valve, Flat flange - for multi neck lid

F 52


Cat. Ref.	Capacity (ml)	Inner Vessel Size (Dia. x Height)
F 52/01	500	75 x 135
F 52/02	1000	105 x 150
F 52/03	2000	105 x 300
F 52/04	3000	155 x 210
F 52/05	5000	155 x 350
F 52/06	10000	215 x 350
F 52/07	20000	300 x 375

Lids for Jacketed Reactor - Multi neck (Five neck)

F 53

Cat. Ref.	Reactor Capacity (ml)	Center Neck	Side Neck
F 53/01	500	B - 24	B - 19
F 53/02	1000	B - 34	B - 24 x 3, B - 34 x 1
F 53/03	2000	B - 34	B - 24 x 3, B - 34 x 1
F 53/04	3000	B - 34	B - 24 x 3, B - 34 x 1
F 53/05	5000	B - 34	B - 24 x 3, B - 34 x 1
F 53/06	10000	B - 45	B - 34 x 3, B - 45 x 1
F 53/07	20000	B - 55	B - 34 x 3, B - 55 x 1

F 53



Contact for any type of
Custom Glass Fabrication

REACTION VESSELS / GLASS JAR




Quick Release Coupling for Jacketed Reactor, made of High grade Aluminum, Powder Coated

F 54

F 54

Cat. Ref.	Reactor Capacity (ml)
F 54/01	500
F 54/02	1000
F 54/03	2000
F 54/04	3000
F 54/05	5000
F 54/06	10000
F 54/07	20000




Baffled Reaction Vessel, Four neck, one side plain

F 55

Cat. Ref.	Capacity (ml)	Inner Vessel Size (Dia. x Height)
F 55/01	100	45 x 75
F 55/02	250	65 x 100
F 55/03	500	75 x 135
F 55/04	1000	105 x 150
F 55/05	2000	105 x 300
F 55/06	3000	155 x 210
F 55/07	5000	155 x 350

F 55




Tablet Dissolution Glass Jar - for standard Dissolution Test apparatus

F 56

Cat. Ref.	Type	Capacity (ml)
F 56/01	Clear Glass - Without Cut	1000
F 56/02	Clear Glass - With Cut	1000
F 56/03	Amber Glass - Without Cut	1000
F 56/04	Amber Glass - With Cut	1000

F 56





P 01



P 02



Pipette - Graduated, Total Delivery (Serological), Class "A", with Test Certificate (Not Covered Under I.S.)

P 01

Cat. Ref.	Capacity (ml.)	Graduation Interval (ml.)	Tolerance (\pm ml.)
P 01/01	0.1	0.01	0.006
P 01/02	0.2	0.01	0.006
P 01/03	1	0.1	0.006
P 01/04	2	0.1	0.01
P 01/05	5	0.1	0.05
P 01/06	10	0.1	0.05
P 01/07	25	0.2	0.1

Pipettes - Graduated, Class B, Total Delivery (Serological)

P 02

Cat. Ref.	Capacity (ml.)	Graduation Interval (ml.)	Tolerance (\pm ml.)
P 02/01	0.1	0.01	0.01
P 02/02	0.2	0.01	0.01
P 02/03	1	0.1	0.01
P 02/04	2	0.1	0.1
P 02/05	5	0.1	0.1
P 02/06	10	0.1	0.1
P 02/07	25	0.2	0.2

PIPETTES

P

Pipette - Volumetric, Single Mark, Class "A", with Test Certificate, as per I.S. 1117 : 1975.

P 03

Cat. Ref.	Capacity (ml.)	Tolerance (\pm mm)
P 03/01	1	0.007
P 03/02	2	0.01
P 03/03	3	0.02
P 03/04	4	0.02
P 03/05	5	0.02
P 03/06	10	0.02
P 03/07	20	0.03
P 03/08	25	0.03
P 03/09	50	0.05
P 03/10	100	0.08

Pipettes, Volumetric, Class B, as per I.S. 1117 : 1975.

P 04

Cat. Ref.	Capacity (ml.)	Tolerance (\pm mm)
P 04/01	1	0.015
P 04/02	2	0.020
P 04/03	5	0.030
P 04/04	10	0.040
P 04/05	20	0.060
P 04/06	25	0.060
P 04/07	50	0.100
P 04/08	100	0.160

Anderson Pipette / Sedimentation Pipette (For Particle size determination)

P 05

Cat. Ref.	Cylinder Capacity	Pipette Capacity	Graduation (ml.)
P 05/01	500 ml.	10 ml. with Three way Stop-cock	0 to 20 cms.

P 03



P 04




P 05



P

PIPETTES

P 06



P 09



P 07



P 08



Pipette - Automatic Transfer - Tilt measure, with Conical Flask having B - 24 joint

P 06

Cat. Ref.	Measure Capacity (ml.)	Flask Capacity (ml.)
P 06/01	5	250
P 06/02	10	250
P 06/03	15	250
P 06/04	20	500
P 06/05	25	500

Pipette, Milk Testing, Gerber, One Mark

P 07

Cat. Ref.	Capacity (ml.)	Tolerance (\pm ml.)
P 07/01	10.75	0.03

Pipette, Pasture (Dropper), with Rubber Teat

P 08

Cat. Ref.	Length (mm)
P 08/01	150
P 08/02	200

Pipette, Drum Sampling (Drum Pipette / Drum Sampler) Made from Heavy Wall Glass Tube of 19 mm. O.D. & 13 mm. I.D.

P 09

Cat. Ref.	Length (mm)
P 09/01	750
P 09/02	1000
P 09/03	1200

Stirring Rods - Button type (Without Blade)

S 01

Cat. Ref.	Rod. Dia (mm)	Lengh (mm)
S 01/01	6	300
S 01/02	6	400
S 01/03	7	300
S 01/04	7	400
S 01/05	8	300
S 01/06	8	400
S 01/07	8	450
S 01/08	8	600
S 01/09	10	400
S 01/10	10	450
S 01/11	10	500
S 01/12	10	600
S 01/13	10	750
S 01/14	12	450
S 01/15	12	600
S 01/16	12	750

Stirring Rods - Double Button (Without Blade)

S 02

Cat. Ref.	Rod. Dia (mm)	Lengh (mm)
S 02/01	8	450
S 02/02	8	600
S 02/03	10	450
S 02/04	10	500
S 02/05	10	600
S 02/06	10	750
S 02/07	12	600
S 02/08	12	750


S 01




S 02




S 03



S 04



S 05

**Stirring Rods - Anchor type**

S 03

Cat. Ref.	Rod. Dia (mm)	Length (mm)
S 03/01	8	450
S 03/02	8	600
S 03/03	10	450
S 03/04	10	500
S 03/05	10	600
S 03/06	10	750
S 03/07	12	600
S 03/08	12	750

Stirring Rods - Propeller type

S 04

Cat. Ref.	Rod. Dia (mm)	Length (mm)
S 04/01	8	450
S 04/02	8	600
S 04/03	10	450
S 04/04	10	500
S 04/05	10	600
S 04/06	10	750

Mercury Seal Gland with Sleeve - Glass

S 05

Cat. Ref.	Joint Size
S 05/01	B - 14
S 05/02	B - 19
S 05/03	B - 24
S 05/04	B - 29
S 05/05	B - 34
S 05/06	B - 55


- Please specify Rod dia. While ordering

Stoppers - Hollow - Hexagonal Head

S 06

Cat. Ref.	Joint Size
S 06/01	B - 10
S 06/02	B - 14
S 06/03	B - 19
S 06/04	B - 24
S 06/05	B - 29
S 06/06	B - 34

S 06




Stoppers - Hollow - Penny Head

S 07

Cat. Ref.	Joint Size
S 07/01	B - 10
S 07/02	B - 14
S 07/03	B - 19
S 07/04	B - 24
S 07/05	B - 29
S 07/06	B - 34
S 07/07	B - 45
S 07/08	B - 55

S 07




Stoppers - Solid - Penny Head, for Volumetric Flasks


S 08

Cat. Ref.	Joint Size
S 08/01	C - 10
S 08/02	C - 14
S 08/03	C - 19
S 08/04	C - 24

S 08




S 09


**Stoppers - Solid - Flat Head,
for Reagent Bottles**

S 09

Cat. Ref.	Joint Size
S 09/01	B - 14
S 09/02	B - 19
S 09/03	B - 24
S 09/04	B - 29
S 09/05	B - 34
S 09/06	B - 45

S 10



S 10

Sintered Glass Buchner Funnels

Cat. Ref.	Capacity (ml)	Disc Dia. (mm)	Porosity Grade
S 10/01	35	30	G - 1
S 10/02	35	30	G - 2
S 10/03	35	30	G - 3
S 10/04	35	30	G - 4
S 10/05	35	30	G - 5
S 10/06	80	40	G - 1
S 10/07	80	40	G - 2
S 10/08	80	40	G - 3
S 10/09	80	40	G - 4
S 10/10	80	40	G - 5
S 10/11	200	65	G - 1
S 10/12	200	65	G - 2
S 10/13	200	65	G - 3
S 10/14	200	65	G - 4
S 10/15	200	65	G - 5
S 10/16	500	90	G - 1
S 10/17	500	90	G - 2
S 10/18	500	90	G - 3
S 10/19	500	90	G - 4
S 10/20	500	90	G - 5
S 10/21	1000	120	G - 1

SINTERED GLASSWARE

S

Cat. Ref.	Capacity (ml)	Disc Dia. (mm)	Porosity Grade
S 10/22	1000	120	G - 2
S 10/23	1000	120	G - 3
S 10/24	1000	120	G - 4
S 10/25	1000	120	G - 5

Grade Table


Porosity Grade	Pore Size Microns
G - 1	90 - 150
G - 2	40 - 90
G - 3	15 - 40
G - 4	5 - 15
G - 5	1 - 2

Sintered Glass Gooch Crucible

S11


Cat. Ref.	Capacity (ml)	Disc Dia. (mm)	Porosity Grade
S 11/01	15	20	G - 1
S 11/02	15	20	G - 2
S 11/03	15	20	G - 3
S 11/04	15	20	G - 4
S 11/05	15	20	G - 5
S 11/06	30	30	G - 1
S 11/07	30	30	G - 2
S 11/08	30	30	G - 3
S 11/09	30	30	G - 4
S 11/10	30	30	G - 5
S 11/11	50	40	G - 1
S 11/12	50	40	G - 2
S 11/13	50	40	G - 3
S 11/14	50	40	G - 4

S 10




Contact for any type of
Custom Glass Fabrication

S 11



S 12


Adapters / Filter Tubes for Gooch Crucibles


S12

Cat. Ref.	Suitable for Crucible	Size O.D. x Length (mm)
S 12/01	15 ml	27 x 150
S 12/02	30 ml	36 x 160
S 12/03	40 ml	56 x 170

Sintered Glass Buchner Funnels, with I/C. Cone Joint

S13

S 13



Cat. Ref.	Capacity (ml)	Joint Size (Cone)	Porosity Grade
S 13/01	35	B - 14	G - 1 / 2 / 3
S 13/02	35	B - 19	G - 1 / 2 / 3
S 13/03	35	B - 24	G - 1 / 2 / 3
S 13/04	80	B - 14	G - 1 / 2 / 3
S 13/05	80	B - 19	G - 1 / 2 / 3
S 13/06	80	B - 24	G - 1 / 2 / 3
S 13/07	80	B - 29	G - 1 / 2 / 3
S 13/08	80	B - 34	G - 1 / 2 / 3
S 13/09	200	B - 19	G - 1 / 2 / 3
S 13/10	200	B - 24	G - 1 / 2 / 3
S 13/11	200	B - 29	G - 1 / 2 / 3
S 13/12	200	B - 34	G - 1 / 2 / 3
S 13/13	500	B - 24	G - 1 / 2 / 3
S 13/14	500	B - 29	G - 1 / 2 / 3
S 13/15	500	B - 34	G - 1 / 2 / 3
S 13/16	1000	B - 24	G - 1 / 2 / 3
S 13/17	1000	B - 29	G - 1 / 2 / 3
S 13/18	1000	B - 34	G - 1 / 2 / 3


Sintered Glass Buchner Funnels, with I/C. Cone Joint and Vacuum Connection

S 14

Cat. Ref.	Capacity (ml)	Joint Size (Cone)	Porosity Grade
S 14/01	35	B - 14	G - 1 / 2 / 3
S 14/02	35	B - 19	G - 1 / 2 / 3
S 14/03	35	B - 24	G - 1 / 2 / 3
S 14/04	80	B - 14	G - 1 / 2 / 3
S 14/05	80	B - 19	G - 1 / 2 / 3
S 14/06	80	B - 24	G - 1 / 2 / 3
S 14/07	80	B - 29	G - 1 / 2 / 3
S 14/08	80	B - 34	G - 1 / 2 / 3
S 14/09	200	B - 19	G - 1 / 2 / 3
S 14/10	200	B - 24	G - 1 / 2 / 3
S 14/11	200	B - 29	G - 1 / 2 / 3
S 14/12	200	B - 34	G - 1 / 2 / 3
S 14/13	500	B - 24	G - 1 / 2 / 3
S 14/14	500	B - 29	G - 1 / 2 / 3
S 14/15	500	B - 34	G - 1 / 2 / 3
S 14/16	1000	B - 24	G - 1 / 2 / 3
S 14/17	1000	B - 29	G - 1 / 2 / 3
S 14/18	1000	B - 34	G - 1 / 2 / 3




S 14



SINTERED GLASSWARE - MICRO FILTRATION ASSEMBLY

S 15




Micro Filtration Assembly (Millipore type) : With Rubber Cork

Consist of : Membrane Filter Holder, Sintered Adapter,
Rubber Cork, Spring Clamp and Filtration Flask

S 15

Cat. Ref.	Holder Capacity (ml)	Sintered Disc Dia. (mm)	Flask Capacity (ml)
S 15/01	35	25	50
S 15/02	35	25	100
S 15/03	35	25	250
S 15/04	35	25	500
S 15/05	100	25	250
S 15/06	100	25	500
S 15/07	100	25	1000
S 15/08	300	47	500
S 15/09	300	47	1000
S 15/10	300	47	2000

S 16



Micro Filtration Assembly (Millipore type) : With Ground Glass I/C. Joints

Consist of : Membrane Filter Holder, Sintered Adapter
with Ground Joint, Spring Clamp and Filtration Flask

S 16

Cat. Ref.	Holder Capacity (ml)	Sintered Disc Dia. (mm)	Flask Capacity (ml)
S 16/01	35	25	50
S 16/02	35	25	100
S 16/03	35	25	250
S 16/04	35	25	500
S 16/05	100	25	250
S 16/06	100	25	500
S 16/07	100	25	1000
S 16/08	300	47	500
S 16/09	300	47	1000
S 16/10	300	47	2000
S 16/11	500	47	1000
S 16/12	500	47	2000

SINTERED GLASSWARE - MICRO FILTRATION ASSEMBLY

S

Spare parts for Micro Filtration Assembly

S 17

Cat. Ref.	Spare Item	Size / Capacity
S 17/01	Filter holder cup	35 ml
S 17/02	Filter holder cup	100 ml
S 17/03	Filter holder cup	300 ml
S 17/04	Filter holder cup	500 ml
S 17/05	Sintered adapter with Plain tube & Rubber cork	25 mm.
S 17/06	Sintered adapter with Plain tube & Rubber cork	47 mm.
S 17/07	Sintered adapter with Ground Joint	25 mm.
S 17/08	Sintered adapter with Ground Joint	47 mm.
S 17/09	Metallic Spring Clamp	25 mm.
S 17/10	Metallic Spring Clamp	47 mm.




S 17

Sintered Pipeline Filter Adapter : Sealed Sintered Disc with Tube connection at both ends.

S 18

Cat. Ref.	Sintered Disk Dia. (mm)	Porosity Grade
S 18/01	30	G - 1 / 2 / 3
S 18/02	65	G - 1 / 2 / 3
S 18/03	90	G - 1 / 2 / 3

S 18






TUBES



T 01



Test tubes - Round bottom, With Rim

T 01

Cat. Ref.	Size D x H (mm)	Capacity (ml)	Quantity per Pack
T 01/01	10 x 75	3	100
T 01/02	12 x 75	5	100
T 01/03	12 x 100	7	100
T 01/04	15 x 125	12	100
T 01/05	15 x 150	15	100
T 01/06	18 x 150	25	100
T 01/07	25 x 100	35	50
T 01/08	25 x 150	50	50
T 01/09	25 x 200	70	50
T 01/10	32 x 200	100	25
T 01/11	38 x 200	170	25

T 02



Test tubes - Round bottom, Without Rim

T 02

Cat. Ref.	Size D x H (mm)	Capacity (ml)	Quantity per Pack
T 02/01	10 x 75	3	100
T 02/02	12 x 75	5	100
T 02/03	12 x 100	7	100
T 02/04	15 x 125	12	100
T 02/05	15 x 150	15	100
T 02/06	18 x 150	25	100
T 02/07	25 x 100	35	50
T 02/08	25 x 150	50	50
T 02/09	25 x 200	70	50
T 02/10	32 x 200	100	25
T 02/11	38 x 200	170	25

Contact for any type of
Custom Glass Fabrication




Test tubes - Round bottom, with Socket and Stopper

T 03

Cat. Ref.	Size (mm) Dia x Hight	Capacity (ml)	Stopper Size
T 03/01	15 x 125	10	C-14
T 03/02	15 x 150	12	C-14
T 03/03	18 x 150	15	C-14
T 03/04	25 x 150	25	C-19
T 03/05	25 x 200	50	C-19
T 03/06	32 x 200	75	C-24
T 03/07	38 x 200	100	C-24

T 03




Test tubes - Round bottom, with Stopper, Graduated

T 04

Cat. Ref.	Size (mm) Dia x Hight	Capacity (ml)	Stopper Size
T 04/01	15 x 125	10	C - 14
T 04/02	15 x 150	12	C - 14
T 04/03	18 x 150	15	C - 14
T 04/04	18 x 150	20	C - 14
T 04/05	25 x 150	25	C - 19
T 04/06	25 x 200	50	C - 19
T 04/07	32 x 200	75	C - 24
T 04/08	38 x 200	100	C - 24

T 04



Contact for any type of
Custom Glass Fabrication




T

TUBES

T 05




T 06



T 07



T 08



Tubes - Centrifuge, Conical Bottom, Plain

T 05

Cat. Ref.	Capacity (ml)	Approx. O. D. x Height (mm)
T 05/01	15	17 x 120

Tubes - Centrifuge, Conical bottom, Graduated

T 06

Cat. Ref.	Capacity (ml)	Approx. O. D. x Height (mm)
T 06/01	15	17 x 120
T 06/02	50	29 x 135

Tubes - Centrifuge, Conical bottom, Graduated with Stopper

T 07

Cat. Ref.	Capacity (ml)	Approx. O. D. x Height (mm)
T 07/01	15	17 x 139
T 07/02	50	29 x 151

Tubes - Culture, Media - Round Bottom with Screw cap, Clear Glass

T 08

Cat. Ref.	Capacity (ml)	Approx. O. D. x Height (mm)
T 08/01	5	16 x 75
T 08/02	10	16 x 125
T 08/03	30	25 x 100
T 08/04	60	25 x 200
T 08/05	150	38 x 200

TUBES




Tubes - Culture, Media - Round Bottom with Screw cap, Amber Glass


T 09

Cat. Ref.	Capacity (ml)	Approx. O. D. x Height (mm)
T 09/01	5	16 x 75
T 09/02	10	16 x 125
T 09/03	30	25 x 100
T 09/04	60	25 x 200
T 09/05	150	38 x 200

T 09



T 10




Tubes - Culture, Media - Flat Bottom with Screw cap - Clear Glass


T 10

Cat. Ref.	Capacity (ml)	Approx. O. D. x Height (mm)
T 10/01	5	16 x 50
T 10/02	15	25 x 57
T 10/03	30	25 x 95

T 11



T 12



Tubes - Culture, Media - Flat Bottom with Screw cap - Amber Glass

T 11

Cat. Ref.	Capacity (ml)	Approx. O. D. x Height (mm)
T 11/01	5	16 x 50
T 11/02	15	25 x 57
T 11/03	30	25 x 95

Thiele's Melting Point Tube

T 12

Cat. Ref.	Approx. O. D. x Height (mm)
T 12/01	18 x 125
T 12/02	25 x 150


Broken Glassware ???...
We can repair it.






TUBES


T 13




T 14




T 15



T 16



T 17



Calcium Chloride 'U' Tube

T 13

Cat. Ref.	Joint Size	Approx. O. D. x Height (mm)
T 13/01	B - 10	12 x 125
T 13/02	B - 14	18 x 150

Tubes - Connections, For Rubber Tube 10mm

T 14

Cat. Ref.	Shape
T 14/01	T
T 14/02	U
T 14/03	Y

Capillary Tubes - both ends open, 100 mm long Pack of 100 nos. (Sampling Capillaries)

T 15

Cat. Ref.	Make
T 15/01	Hand made
T 15/02	Machine made

Capillary Tubes - One end Closed, 100 mm long Pack of 100 nos. (Melting Point Capillaries)

T 16

Cat. Ref.	Make
T 16/01	Hand made
T 16/02	Machine made

Tubes - Blood sugar, Folin - Wu (These tubes have two volume marks - at 12.5 ml and 25 ml)

T 17

Cat. Ref.	Capacity (ml)	Size O. D. x Height (mm)
T 17/01	25	20 x 215

**'U' Tube Manometer - Industrial Pattern
Manometer - 'U' Tube with Scale, Fitted on
Polished Wooden Stand (without Mercury)**

V 01

Cat. Ref.	Range mm of Hg
V 01/01	300 - 0 - 300
V 01/02	500 - 0 - 500

**'U' Tube Manometer - Laboratory Pattern
Manometer - Anschutz - Tabel model -
Mounted on wooden Stand with Stop -
cock, Mercury Filled**


V 02

Cat. Ref.	Range mm of Hg
V 02/01	120 - 0 - 120


**Mc-Leod Gauge
Mc-Leod Vacuum Gauge with Stand
and Mercury**

V 03


Cat. Ref.	Range mm of Hg
V 03/01	10 to 0.001




V 01




V 02




SA 01/01



SA 01/02



SA 01/03



SA 01

Arsenic Determination Apparatus

Cat. Ref.	Type
SA 01/01	As per I.P. / B.P. - with Bottle
SA 01/02	As per I.P. / B.P. - with Conical Flask
SA 01/03	As per USP

Amonia Distilling Apparatus

SA 02


The apparatus consist of :

1. 500 ml Kjeldahl Flask
2. Splashhead - Vertical
3. Graham (Coil) Condenser

Cat. Ref.

SA 02/01

SA 02

**Micro Kjeldahl Distillation Apparatus (Nitrogen Distillation)**

SA 03


The apparatus consist of :

1. 500 ml Kjeldahl Flask
2. Multiple adapter - two way
3. Splashhead - Vertical
4. Dropping funnel 50 ml
5. Leibig condenser

Cat. Ref.

SA 03/01

SA 03



Water Distillation Unit

SA 04

The Unit consist of :


Round bottom Flask - Two neck, Heating Mantle,

Dip-pipe, Vertical Condenser with outlet,

Stand & Clamps

Cat. Ref.	Capacity (ml.)
SA 04/01	2000
SA 04/02	3000
SA 04/03	5000
SA 04/04	10000
SA 04/05	20000

SA 04



Chemical Oxygen Demand (C.O.D.) Test Glass apparatus

SA 05

The apparatus consist of :

C.O.D. Bottle - 200 ml / 250 ml. Flat bottom

Flask B - 24,

Verticle Condenser with B - 24 cone,

750 mm long

Cat. Ref.	Apparatus with
SA 05/01	Bottle
SA 05/02	Flask

SA 05





Essential Oil determination apparatus : Apparatus consist of : Round bottom Flask, Vertical tube combined with Condenser A& graduated receiver having Stop-cock

SA 06

Cat. Ref.	Flask Capacity (ml.)	Ground Joint	Reciver Tube Cap (ml.)
SA 06/01	500	B - 24	5
SA 06/02	1000	B - 24	10
SA 06/03	2000	B - 34	10
SA 06/04	3000	B - 34	25
SA 06/05	5000	B - 34	25

SA 06






Combined Distillation Setup - Specially designed for High Vacuum Distillation and Fractional Distillation

SA 07

Cat. Ref.	Flask Receiver Cone	Condenser Type	Jacket Length
SA 07/01	B - 14	Leibig	200 mm.
SA 07/02	B - 14	Double Surface	200 mm.
SA 07/03	B - 19	Leibig	300 mm.
SA 07/04	B - 19	Double Surface	300 mm.
SA 07/05	B - 24	Leibig	300 mm.
SA 07/06	B - 24	Double Surface	300 mm.



Combined Distillation Setup - Specially designed for High Vacuum Fractional Distillation

SA 08

Cat. Ref.	Flask Receiver Cone	Vigreux Column Length	Condenser Type	Jacket Length
SA 08/01	B - 14	150 mm.	Double Surface	200 mm.
SA 08/02	B - 14	200 mm.	Double Surface	200 mm.
SA 08/03	B - 19	200 mm.	Double Surface	200 mm.
SA 08/04	B - 19	300 mm.	Double Surface	300 mm.
SA 08/05	B - 24	200 mm.	Double Surface	300 mm.
SA 08/06	B - 24	300 mm.	Double Surface	300 mm.



sabar scientific

SECTION

2

INDEX

EQUIPMENTS & LABWARE

HEATING MANTLES & WATER / OIL BATHS

METALWARE

PORCELAINWARE

PTFE LABWARE

RUBBERWARE

THERMOMETERS & HYDROMETERS



HEATING MANTLES & WATER/OIL BATHS

Item Code	Item	Page No.
HM	Heating Mantle For Round bottom Flasks	125
BM	Heating Mantle for Beakers / Cylindrical Vessels	125
WB / WBS	Heating Water bath for Round bottom Flasks	126
OB / OBS	Heating Oil bath for Round bottom Flasks	127

METALWARE

Item Code	Item	Page No.
-----------	------	----------

LABORATORY CLAMPS

CLF	Burette Clamp (Fisher Clamp)	128
CLT	Three prong (Three Fingre) Clamp.	128
CLX	Cross Pattern (Four Fingre) Clamp.	128
CLC	Condenser Clamp.	128

BH - BOSSHEADS

RETORT STANDS

RSCI	Retort Stand with Cast Iron Base	129
RSMS	Retort Stand with M.S. Sheet Base	129
TST	Tripod Stand : Triangular Top	129
RR & RRH	Retort Rings	130
BB & MB	Bunsen Burners	130
AWB	Analytical Weight Box (Brass CP)	131
CT & BT	Tongs (Non - Magnetic & Non - Rusting Stainles Steel)	131

SPATULA

SP	Spatula - Stainless Steel, One side Flat, Other end Spoon	131
WSPS	Wire Spatula - Stainless Steel, One side Flat, Other end Small Spoon	132
WSPP	Wire Spatula - Stainless Steel, One side Flat, Other end Flat - Pointed	132




METALWARE

Item Code	Item	Page No.
SPATULA		
WSPC	Chatway Wire Spatula - Stainless Steel, One side Flat, Other end Flat - Curved	132
OSP	Ointment Spatula - Stainless Steel - with Wooden Handle	132
FORCEPS		
FCPB	Forceps - Stainless Steel - Blunt	133
FCPP	Forceps - Stainless Steel - Pointed	133
LJ	Laboratory Jack	133
WG	Wire Gauge	133
HF	Hoffman Screw Clip	134
BJC	Ball Joint Clip, S.S.	134
TH	Test Tube Holders - with wooden handle	134

J

PORCELAINWARE

Item Code	Item	Page No.
J 01	Crucibles Tall Form	135
J 02	Crucibel Wide Form	135
J 03	Crucibel Covers (Lids)	136
J 04	Evaporating Basin (Round Form)	136
J 05	Buchner Funnel (Thik Stem)	137
J 06	Hirsch Funnel	137
J 07	Mortar & Pestle Set	138
J 08	Dessicator Plate	138



PT

PTFE LABWARE

Item Code	Item	Page No.
PT 01	PTFE Blade for Button Stirrer	139
PT 02	Stirrer Guide - PTFE Stuffing Box	139
PT 03	Mercury Seal Gland with Sleeve - PTFE	139
PT 04	High Vacuum Seal Gland - PTFE	140
PT 05	Stoppers - Solid PTFE - Hexagonal Head	140
PT 06	Thermometer holders - Solid PTFE	140
PT 07	Expansion Bellows, PTFE, for I/C Joints	140
PT 08	PTFE Sleeved Stirrer Shaft (Impellor) - with S.S. Rod, with Blade	141
PT 09	PTFE Sleeved Stirrer Shaft (Impellor) - with S.S. Rod, with Anchor	141
PT 10	PTFE Sleeved Stirrer Shaft (Impellor) - with S.S. Rod, with Pitch Blades	142
PT 11	Magnetic Stirring Bars Retrievers / Rescuers	142
PT 12	Coated Magnetic Bars - Cylindrical Shape	142
PT 13	Coated Magnetic Bars - Egg Shape	143
PT 14	Coated Magnetic Bars - Oval Shape	144
PT 15	Coated Magnetic Bars - Cross Head Shape	144
PT 16	Coated Magnetic Bars - Star Shape	144
PT 17	Coated Magnetic Bars - Dumbble Shape	145
PT 18	Coated Magnetic Bars - Octagonal Shape	145
PT 19	Coated Magnetic Micro Bars	145
PT 20	Locking Clips (Plastic) for Ground Joints	145




RUBBERWARE

Item Code	Item	Page No.
RTR / RTG	Rubber Tubing - Surgical Rubber	146
RB	Rubber Bulb for Pipettes - Surgical Rubber	146
B 33	Rubber Bulb for Automatic Burettes - Surgical Rubber	146
NBL	Rubber Baloons / Bladders for Nitrogen - Latex Rubber, Seamless.	146
LRT	Rubber Teats for Droppers / Pasture Pipettes - Latex Rubber	147
FRA	Rubber Adapters for Filter Flask.	147
RC	Rubber Cone /Sleeve for Filter Flask or Buchner Funnel	147

THERMOMETERS & HYDROMETERS

Item Code	Item	Page No.
TH 01	General Purpose Thermometers : Total Length : 300 mm. (12"),	148
TH 02	Long Stem Thermometers : Total Length : 450 mm. (18")	148
TH 03	Long Stem Thermometers : Total Length : 600 mm. (24"), Superior Grade	149
TH 04	Long Stem Thermometers : Total Length : 900 mm. (36"), Superior Grade	149
TH 05	Minus Range Thermometers, Superior Grade.	149
SPGRH/01	Specific Gravity Hydrometers , Light & Heavy Liquid - Combined with Be' (Baume), Wide Range	150
SPGRH/02	Specific Gravity Hydrometers , Light & Heavy Liquid - Short Range	150
TWH 03	Twaddle Hydrometers	151
ALCH 01	Alcoholmeters : Gay - Lussac, Graduated in Percentage of Alcohol by Volume	151



HEATING MANTLES

Heating Mantle For Round bottom Flasks : Aluminium Body, with Thermostatic Energy Regulator

HM

Cat. Ref.	Flask Size	Rating (Watts)
HM 50	50 ml.	60
HM 100	100 ml.	60
HM 250	250 ml.	150
HM 500	500 ml.	200
HM 1	1 Ltr.	300
HM 2	2 Ltr.	450
HM 3	3 Ltr.	450
HM 5	5 Ltr.	600
HM 10	10 Ltr.	2 x 500
HM 20	20 Ltr.	3 x 600
HM 50	50 Ltr.	6 x 600

* Heating Mantle with Digital Temp. Controller - available : Price on request.



Heating Mantle for Beakers / Cylindrical Vessels : Aluminium Body, with Thermostatic Energy Regulator

BM

Cat. Ref.	Beaker Size	Rating (Watts)
BM 500	500 ml.	200
BM 1	1 Ltr.	300
BM 2	2 Ltr.	450
BM 3	3 Ltr.	450
BM 5	5 Ltr.	750



WATER BATHS

Heating Water bath for Round bottom Flasks : Inside Stainless Steel, Outer Wall M.S. / Powder coated. Temp. : up to 95° C.

WB

With Thermostatic Energy Regulator			With Digital Temp. Controller
Cat. Ref.	Flask Size	Rating (Watts)	Cat. Ref.
WB 1	1 Ltr.	500	WB 1 / D
WB 2	2 Ltr.	1000	WB 2 / D
WB 3	3 Ltr.	1500	WB 3 / D
WB 5	5 Ltr.	1500	WB 5 / D
WB 10	10 Ltr.	2000	WB 10 / D
WB 20	20 Ltr.	3000	WB 20 / D



Taking care of
Chemical Reactions
Since 1972

Heating Water bath for Round bottom Flasks : Inside & Outside Stainless Steel. Temp. : up to 95° C.

WBS

With Thermostatic Energy Regulator			With Digital Temp. Controller
Cat. Ref.	Flask Size	Rating (Watts)	Cat. Ref.
WBS 1	1 Ltr.	500	WBS 1 / D
WBS 2	2 Ltr.	1000	WBS 2 / D
WBS 3	3 Ltr.	1500	WBS 3 / D
WBS 5	5 Ltr.	1500	WBS 5 / D
WBS 10	10 Ltr.	2000	WBS 10 / D
WBS 20	20 Ltr.	3000	WBS 20 / D

OIL BATHS

Heating Oil bath for Round bottom Flasks : Inside Stainless Steel, Outer Wall M.S. / Powder coated. Temp. : up to 270° C.

OB

With Thermostatic Energy Regulator			With Digital Temp. Controller
Cat. Ref.	Flask Size	Rating (Watts)	Cat. Ref.
OB 1	1 Ltr.	500	OB 1 / D
OB 2	2 Ltr.	1000	OB 2 / D
OB 3	3 Ltr.	1500	OB 3 / D
OB 5	5 Ltr.	1500	OB 5 / D
OB 10	10 Ltr.	2000	OB 10 / D
OB 20	20 Ltr.	3000	OB 20 / D



Taking care of
Chemical Reactions
Since 1972

Heating Oil bath for Round bottom Flasks : Inside & Outside Stainless Steel. Temp. : up to 270° C.


OBS

With Thermostatic Energy Regulator			With Digital Temp. Controller
Cat. Ref.	Flask Size	Rating (Watts)	Cat. Ref.
OBS 1	1 Ltr.	500	OBS 1 / D
OBS 2	2 Ltr.	1000	OBS 2 / D
OBS 3	3 Ltr.	1500	OBS 3 / D
OBS 5	5 Ltr.	1500	OBS 5 / D
OBS 10	10 Ltr.	2000	OBS 10 / D
OBS 20	20 Ltr.	3000	OBS 20 / D



METALWARE


CLFD/CLU



CLT



CLX



CLC



Clamp (Fisher Clamp)

CLFD/CLU

Cat. Ref.	Type
CLFSB	Single Burette
CLFDB	Double Burette
CLU	M.S. / P.C.

Three prong (Three Fingre) Clamp. Aluminium / Powder coated

CLT

Cat. Ref.	Rod Length
CLT8	8"
CLT9	9"
CLT10	10"
CLT12	12"
	Jumbo Clamp
CLTJ12	12"

Cross Pattern (Four Fingre) Clamp. Aluminium / Powder coated

CLX

Cat. Ref.	Rod Length
CLX8	8"
CLX9	9"
CLX10	10"
CLX12	12"
	Jumbo Clamp
CLTX12	12"

Condenser Clamp. Aluminium / Powder coated

CLC

Cat. Ref.	Rod Length
CLC8	8"
CLC9	9"
CLC10	10"
CLC12	12"

**BOSSHEAD : Aluminium / Cast Iron
Powder coated / Black Painted,
with Metal Screw key**

BH

Cat. Ref.	To hold Rod of Dia.
BH12L (AL)	12 mm.
BH12DC (AL)	12 mm.
BH12H (CI)	12 mm.
BH16H (CI)	16 mm.
Jumbo Bosshead	
BH25H (CI)	25 mm.
BH30H (CI)	32 mm.



**Retort Stand with Cast Iron Base :
Powder coated**

RSCI

Cat. Ref.	Base Size	Rod Size
RSCI7/5	7" X 5"	3/8" X 24"
RSCI8/5	8" X 5"	3/8" X 24"
RSCI9/6	9" X 6"	1/2" X 30"
RSCI12/7	12" X 7"	1/2" X 36"

RSCI



RSMS



**Retort Stand with M.S. Sheet Base,
with Levelling Screw : Powder coated**

RSMS

Cat. Ref.	Base Size	Rod Size
RSMS7/5	7" X 5"	3/8" X 24"
RSMS8/5	8" X 5"	3/8" X 24"
RSMS9/6	9" X 6"	1/2" X 30"

TST



Tripod Stand : Triangular Top

TST

Cat. Ref.	Base Size	Rod Size
TST4	4"	7"
TST5	5"	8"



METALWARE

RR



**Retort Ring, M.S. / Powder coated :
Routine Quality**

RR

Cat. Ref.	Dia.
RR2	2"
RR2.5	2.5"
RR3	3"
RR4	4"
RR5	5"
RR6	6"
RR8	8"

RRH



**Retort Ring, M.S. / Powder coated :
Heavy Quality**

RRH

Cat. Ref.	Dia.
RRH2	2"
RRH2.5	2.5"
RRH3	3"
RRH4	4"
RRH5	5"
RRH6	6"
RRH8	8"

BBWS/BBS/MBWS/MBS



Bunsen Burners

BBWS/BBS/MBWS/MBS

Cat. Ref.	Discription	Top Dia.
BBWS12	Bunsen Burner - without Stop - cock	12 mm.
BBS12	Bunsen Burner - with Stop - cock	12 mm.
MBWS19	Maker Burner - without Stop - cock	19 mm.
MBS19	Maker Burner - with Stop - cock	19 mm.

Analytical Weight Box (Brass CP) With Fractional Weight Box & Forcep

AWB

Cat. Ref.	Class	Range
AWB100/A	A	1 mg. to 100 gm.
AWB100/B	B	1 mg. to 100 gm.
AWB200/A	A	1 mg. to 200 gm.
AWB200/B	B	1 mg. to 200 gm.

AWB




Tongs (Non - Magnetic & Non-Rusting Stainless Steel) Crucible Tongs

CT

Cat. Ref.	Size
CT6	6"
CT8	8"
CT10	10"
CT12	12"
CT15	15"
CT18	18"
CT24	24"

CT



BT



Flask / Beaker Tongs

BT

Cat. Ref.	Size
BT12	12"

SP



Spatula - Stainless Steel, One side Flat, Other end Spoon

SP

Cat. Ref.	Size
SP6	6"
SP8	8"
SP10	10"
SP12	12"



METALWARE

WSPS




Wire Spatula - Stainless Steel, One side Flat, Other end Small Spoon

WSPS

Cat. Ref.	Size
WSPS6	6"
WSPS8	8"
WSPS10	10"
WSPS12	12"

WSPP



Wire Spatula - Stainless Steel, One side Flat, Other end Flat - Pointed

WSPP

Cat. Ref.	Size
WSPP6	6"
WSPP8	8"
WSPP10	10"
WSPP12	12"

WSPC



Chatway Wire Spatula - Stainless Steel, One side Flat, Other end Flat - Curved

WSPC

Cat. Ref.	Size
WSPC6	6"
WSPC8	8"
WSPC10	10"
WSPC12	12"

OSP



Ointment Spatula - Stainless Steel - with Wooden Handle

OSP

Cat. Ref.	Size
OSP6	6"
OSP8	8"

Forceps - Stainless Steel - Blunt

FCPB

Cat. Ref.	Size
FCPB5	5"
FCPB6	6"
FCPB8	8"
FCPB10	10"
FCPB12	12"

FCPB



Forceps - Stainless Steel - Pointed

FCPP

Cat. Ref.	Size
FCPP5	5"
FCPP6	6"
FCPP8	8"
FCPP10	10"
FCPP12	12"

FCPP



Laboratory Jack : M.S. / Powder Coated.

LJ

Cat. Ref.	Size
L J 5	12 X 14 cms.
L J 8	20 x 20 cms.
L J 10	25 x 25 cms.
L J 12	30 x 30 cms.

LJ




Wire Gauge

WGWF/WGF


Cat. Ref.	Description	Size
WGWF	Without Frame	6" x 6"
WGF	With Frame	6" x 6"

WFWF / WGF



METALWARE

HF



Hoffman Screw Clip

HF

Cat. Ref.	Size
HF12	For tube size 12 mm.
HF18	For tube size 18 mm.
HF25	For tube size 25 mm.

BJC



Ball Joint Clip, S.S.

BJC

Cat. Ref.	Size
BJC13	S - 13
BJC19	S - 19
BJC29	S - 29
BJC35	S - 35
BJC41	S - 41
BJC51	S - 51

TH



Test Tube Holders - with wooden handle

TH

Cat. Ref.	Size
TH 01	-



Taking care of
Chemical Reactions
Since 1972

Crucibles Tall Form

J01

Cat. Ref.	Capacity (ml.)
J 01/01	1.3
J 01/02	5
J 01/03	10
J 01/04	15
J 01/05	25
J 01/06	30
J 01/07	40
J 01/08	50
J 01/09	100
J 01/10	250

J 01



Crucible Wide Form

J02

Cat. Ref.	Joint Size
J 02/01	2
J 02/02	5
J 02/03	10
J 02/04	17
J 02/05	30
J 02/06	50
J 02/07	100
J 02/08	150
J 02/09	250
J 02/10	500

J 02



Contact for any type of
Custom Glass Fabrication

J 03

**Crucible Covers (Lids for Crucibles)**

J 03

Cat. Ref.	For Crucible Capsules and Cups
J 03/01	J 01/02
J 03/02	J 01/03, J 02/01, J 02/03
J 03/03	J 01/04
J 03/04	J 01/06, J 02/04,
J 03/05	J 01/07, J 02/05
J 03/06	J 01/08
J 03/07	J 01/09, J 02/06
J 03/08	J 02/07
J 03/09	J 01/10, J 02/08
J 03/10	J 02/09

J 02

**Evaporating Dish (Round Form)**

J 04

Cat. Ref.	Capacity (ml.)	Top Outer Dia. (mm)
J 04/01	3	25
J 04/02	10	40
J 04/03	20	50
J 04/04	40	60
J 04/05	100	75
J 04/06	125	85
J 04/07	175	100
J 04/08	250	110
J 04/09	400	125
J 04/10	550	140
J 04/11	800	150
J 04/12	1300	175
J 04/13	1800	200
J 04/14	3300	250
J 04/15	4500	300



Taking care of
Chemical Reactions
Since 1972

PORCELAINWARE

J

Cat. Ref.	Capacity (ml.)	Top Outer Dia. (mm)
J 04/16	7500	350
J 04/17	11000	350
J 04/18	14000	400
J 04/19	16000	450
J 04/20	18000	500

J 04



Buchner Funnel (Thick Stem)

J 05

Cat. Ref.	Top Diameter (mm)	For Filter Paper Use (mm)
J 05/01	35	27
J 05/02	50	40
J 05/03	60	50
J 05/04	75	70
J 05/05	100	90
J 05/06	125	110
J 05/07	150	130
J 05/08	200	175
J 05/09	250	230
J 05/10	275	240
J 05/11	300	260
J 05/12	400	360

J 05



Hirsch Funnel

J 06

Cat. Ref.	Top Diameter (mm)
J 06/01	30
J 06/02	42
J 06/03	50
J 06/04	78
J 06/05	95

J 06



J 07



J07

Mortar & Pestle Set

Cat. Ref.	Top Dia.	Top O.D. (mm)	Capacity (ml.)
J 07/01	60	80	60
J 07/02	75	90	100
J 07/03	85	105	150
J 07/04	100	125	275
J 07/05	125	155	550
J 07/06	150	180	900
J 07/07	175	200	1500
J 07/08	200	230	2000
J 07/09	250	285	4200
J 07/10	300	330	7000
J 07/11	350	400	-
J 07/12	400	450	-

J 08



J08

Desiccator Plate

Cat. Ref.	Diameter (mm)	No. of Holes
J 08/01	95	3
J 08/02	115	3
J 08/03	140	6
J 08/04	165	7
J 08/05	190	8
J 08/06	230	10
J 08/07	290	13

Broken Glassware ???...

We can repair it.

PTFE Blade for Button Stirrer

PT 01

Cat. Ref.	Joint Size	Blade Size (mm)
PT 01/01	B - 19	50 x 15 x 3
PT 01/02	B - 24	50 x 20 x 3
PT 01/03	B - 24	75 x 20 x 3
PT 01/04	B - 29	75 x 25 x 3
PT 01/05	B - 29	100 x 25 x 3
PT 01/06	B - 34	100 x 30 x 3
PT 01/07	B - 34	125 x 30 x 3
PT 01/08	B - 34	125 x 30 x 5
PT 01/09	B - 55	125 x 50 x 5
PT 01/10	B - 55	150 x 50 x 5

PT 01



Stirrer Guide - PTFE Stuffing Box

PT 02

Cat. Ref.	Joint Size
PT 02/01	B - 14
PT 02/02	B - 19
PT 02/03	B - 24
PT 02/04	B - 29
PT 02/05	B - 34
PT 02/06	B - 45
PT 02/07	B - 55

PT 02



* Please specify Rod dia., while ordering.

Mercury Seal Gland with Sleeve - PTFE

PT 03


Cat. Ref.	Joint Size
PT 03/01	B - 19
PT 03/02	B - 24
PT 03/03	B - 29
PT 03/04	B - 34
PT 03/05	B - 55

PT 03



* Please specify Rod dia., while ordering.

PT 04




PT 05



PT 06



PT 07

**High Vacuum Seal Gland - PTFE**

PT 04

Cat. Ref.	Joint Size
PT 04/01	B - 19
PT 04/02	B - 24
PT 04/03	B - 29
PT 04/04	B - 34
PT 04/05	B - 55

Please specify Rod dia., while ordering.

Stoppers - Solid PTFE - Hexagonal Head

PT 05

Cat. Ref.	Joint Size
PT 05/01	B - 10
PT 05/02	B - 14
PT 05/03	B - 19
PT 05/04	B - 24
PT 05/05	B - 29
PT 05/06	B - 34

Thermometer holders - Solid PTFE

PT 06

Cat. Ref.	Joint Size
PT 06/01	B - 19
PT 06/02	B - 24
PT 06/03	B - 29
PT 06/04	B - 34

Expansion Bellows, PTFE, for I/C Joints

PT 07

Cat. Ref.	Joint Size
PT 07/01	B - 19
PT 07/02	B - 24
PT 07/03	B - 29
PT 07/04	B - 34

PTFE Sleeved Stirrer Shaft (Impellor) - inside S.S. Rod, with Blade

PT 08

Cat. Ref.	Rod Dia (mm)	Length (mm)
PT 08/01	8	450
PT 08/02	8	600
PT 08/03	10	450
PT 08/04	10	500
PT 08/05	10	600
PT 08/06	10	750
PT 08/07	12	600
PT 08/08	12	750



PT 08

PTFE Sleeved Stirrer Shaft (Impellor) - Inside S.S. Rod, with Anchor

PT 09

Cat. Ref.	Rod Dia (mm)	Length (mm)
PT 09/01	8	450
PT 09/02	8	600
PT 09/03	10	450
PT 09/04	10	500
PT 09/05	10	600
PT 09/06	10	750
PT 09/07	12	600
PT 09/08	12	750



PT 09

Contact for any type of
Custom Glass Fabrication

PT 10


**PTFE Sleeved Stirrer Shaft (Impellor) -
Inside S.S. Rod, with Pitch Blades**

PT 10

Cat. Ref.	Rod Dia (mm)	Length (mm)
PT 10/01	8	450
PT 10/02	8	600
PT 10/03	10	450
PT 10/04	10	500
PT 10/05	10	600
PT 10/06	10	750
PT 10/07	12	600
PT 10/08	12	750

PT 11


Magnetic Stirring Bars Retrievers / Rescuers

PT 11

Cat. Ref.	Length (mm.)
PT 11/01	240
PT 11/02	300

PT 12


Coated Magnetic Bars - Cylindrical Shape

PT 12

Cat. Ref.	Size (D x L) (mm)
PT 12/01	5 x 8
PT 12/02	5 x 10
PT 12/03	6 x 12
PT 12/04	6 x 18
PT 12/05	6 x 25
PT 12/06	6 x 30
PT 12/07	7 x 15
PT 12/08	9 x 20
PT 12/09	9 x 25
PT 12/10	9 x 30
PT 12/11	9 x 35
PT 12/12	10 x 40

Cat. Ref.	Size (D x L) (mm)
PT 12/13	10 x 45
PT 12/14	10 x 50
PT 12/15	10 x 60
PT 12/16	10 x 75
PT 12/17	13 x 35
PT 12/18	13 x 50
PT 12/19	13 x 75

PT 12



Coated Magnetic Bars - Egg Shape

PT 13

Cat. Ref.	Size (D x L) (mm)
PT 13/01	5 x 10
PT 13/02	6 x 15
PT 13/03	10 x 20
PT 13/04	12 x 25
PT 13/05	16 x 30
PT 13/06	16 x 35
PT 13/07	20 x 40
PT 13/08	20 x 50
PT 13/09	20 x 64
PT 13/10	20 x 70


PT 13



Taking care of
Chemical Reactions
 Since 1972



PT 14



PT 15



PT 16



Coated Magnetic Bars - Oval Shape

PT 14

Cat. Ref.	Size (D x L) (mm)
PT 14/01	4 x 8
PT 14/02	5 x 10
PT 14/03	6 x 15
PT 14/04	10 x 20
PT 14/05	12 x 25
PT 14/06	16 x 30
PT 14/07	16 x 35
PT 14/08	20 x 40
PT 14/09	20 x 50
PT 14/10	20 x 64
PT 14/11	20 x 70

Coated Magnetic Bars - Cross Head Shape

PT 15

Cat. Ref.	Size (D x L) (mm)
PT 15/01	10 x 10
PT 15/02	20 x 20
PT 15/03	25 x 25
PT 15/04	30 x 30
PT 15/05	38 x 38

Coated Magnetic Bars - Star Shape

PT 16

Cat. Ref.	Size (D x L) (mm)
PT 16/01	10 x 10
PT 16/02	14 x 12
PT 16/03	17 x 13
PT 16/04	22 x 15

Coated Magnetic Bars - Dumbbell Shape

PT 17

Cat. Ref.	Size (D x L) (mm)
PT 17/01	9 x 32 x 20
PT 17/02	9 x 52 x 20

PT 17




Coated Magnetic Bars - Octagonal Shape

PT 18

Cat. Ref.	Size (D x L) (mm)
PT 18/01	5 x 13
PT 18/02	6 x 15
PT 18/03	7 x 20
PT 18/04	8 x 25
PT 18/05	8 x 30
PT 18/06	9 x 28
PT 18/07	9 x 35
PT 18/08	9 x 50
PT 18/09	10 x 40
PT 18/10	10 x 80

PT 18



PT 19

Coated Magnetic Micro Bars

PT 19

Cat. Ref.	Size (D x L) (mm)
PT 19/01	3 x 6
PT 19/02	3 x 8



Locking Clips (Plastic) for Ground Joints

PT 20

Cat. Ref.	Size (D x L) (mm)
PT 20/01	B - 14
PT 20/02	B - 19
PT 20/03	B - 24
PT 20/04	B - 29

PT 20



RUBBERWARE

Rubber Tubing - Surgical Rubber

RTR/RTG

RTR/RTG



Cat. Ref.	Description	Size (mm) I. D. x O. D.	Wall Thickness (mm)
RTR 6/9	Red, for Water	6 x 9	1.5
RTR 8/11	Red, for Water	8 x 11	1.5
RTR 8/12	Red, for Water	8 x 12	2
RTR 12/15	Red, for Water	12 x 15	1.5
RTR 8/16	Red, Heavy Wall, for Vacuum	8 x 16	4
RTR 9/18	Red, Heavy Wall, for Vacuum	9 x 18	4.5
RTG 8/14	Green, Heavy Wall, for Gas / Vacuum	8 x 14	3
RTG 9/15	Green, Heavy Wall, for Gas / Vacuum	9 x 15	3

RB



Rubber Bulb for Pipettes - Surgical Rubber

RB

Cat. Ref.	For Pipette Size (ml.)
RB 5	5
RB 10	10
RB 15	15
RB 20	20
RB 25	25

B



Rubber Bulb for Automatic Burettes - Surgical Rubber

B

Cat. Ref.	Description
B 33/01	Ordinary - with Tube
B 33/02	Superior - With Bellow and net

NBL



Rubber Balloons / Bladders for Nitrogen - Latex Rubber, Seamless.

NBL

Cat. Ref.	Size
NBL 01	-
NBL 02	-

RUBBERWARE

Rubber Teats for Droppers / Pasture Pipettes - Latex Rubber

LRT

Cat. Ref.	Size
LRT 01	No.5
LRT 02	No.6

LRT



Rubber Adapters for Filter Flask.

FRA

Cat. Ref.	For Filter Flask Size
FRA 01	25 / 50 ml.
FRA 02	100 ml.
FRA 03	250 / 500 ml.
FRA 04	1 Ltr. / 2 Ltr.
FRA 05	5 Ltr.
FRA 06	10 Ltr.
FRA 07	20 Ltr.

FRA




Rubber Cone /Sleeve for Filter Flask or Buchner Funnel

RC

Cat. Ref.
RC 01
RC 02
RC 03
RC 04
RC 05

RC



**General Purpose Thermometers : Total Length : 300 mm. (12"),
Immersion / Stem Length : 76 mm.,**


TH 01

Cat. Ref.	Range (°C)	Least Count (°C)
TH 01/01	- 10 to 50° C.	0.25
TH 01/02	- 10 to 50° C.	0.5
TH 01/03	- 10 to 110° C.	0.5
TH 01/04	- 10 to 110° C.	1
TH 01/05	- 10 to 150° C.	1
TH 01/06	- 10 to 200° C.	1
TH 01/07	- 10 to 250° C.	1
TH 01/08	- 10 to 300° C.	1
TH 01/09	- 10 to 360° C.	1
TH 01/10	- 10 to 360° C.	2

**Long Stem Thermometers : Total Length : 450 mm. (18")
Least Count: 1 °C ,Immersion / Stem Length : 150 mm.,**

TH 02

Cat. Ref.	Range (°C)
TH 02/01	- 10 to 50° C.
TH 02/02	- 10 to 110° C.
TH 02/03	- 10 to 150° C.
TH 02/04	- 10 to 250° C.
TH 02/05	- 10 to 360° C.



Long Stem Thermometers : Total Length : 600 mm. (24")
Least Count: 1 °C, Immersion / Stem Length : 300 mm.,

TH 03

Cat. Ref.	Range (°C)
-----------	------------

TH 03/01	- 10 to 50° C.
TH 03/02	- 10 to 110° C.
TH 03/03	- 10 to 150° C.
TH 03/04	- 10 to 250° C.
TH 03/05	- 10 to 360° C.

Long Stem Thermometers : Total Length : 900 mm. (36"),
Least Count: 1 °C, Immersion : 600 mm.,

TH 04

Cat. Ref.	Range (°C)
-----------	------------

TH 04/01	- 10 to 50° C.
TH 04/02	- 10 to 110° C.
TH 04/03	- 10 to 150° C.
TH 04/04	- 10 to 250° C.
TH 04/05	- 10 to 360° C.

Minus Range Thermometers, Superior Grade. Red Spirit in glass
thermometers designed for use at negative temperatures up to -100 °C

TH 05

Cat. Ref.	Range (°C)	Least Count (°C)
-----------	------------	------------------

TH 05/01	- 50 to 50° C.	0.5
TH 05/02	- 50 to 100° C.	0.5
TH 05/03	- 100 to 50° C.	0.5
TH 05/04	- 100 to 100° C.	0.5
TH 05/05	- 50 to 50° C.	1
TH 05/06	- 50 to 100° C.	1
TH 05/07	- 100 to 50° C.	1
TH 05/08	- 100 to 100° C.	1





Specific Gravity Hydrometers , Light & Heavy Liquid - Combined with Be' (Baume), Wide Range

SPGRH 01

Cat. Ref.	Range	Baume Range
SPGRH 01/01	0.700 to 1.000	10 to 70
SPGRH 01/02	1.000 to 1.500	0 to 50
SPGRH 01/03	1.500 to 2.000	0 to 50
SPGRH 01/04	1.000 to 2.000 (Straight Shape)	10 to 70
SPGRH 01/05	1.000 to 2.000 (Bulb Shape)	10 to 70

SPGRH 02

Cat. Ref.	Range
SPGRH 02/01	0.600 to 0.700
SPGRH 02/02	0.600 to 0.800
SPGRH 02/03	0.700 to 0.800
SPGRH 02/04	0.800 to 0.900
SPGRH 02/05	0.800 to 1.000
SPGRH 02/06	0.900 to 1.000
SPGRH 02/07	1.000 to 1.100
SPGRH 02/08	1.000 to 1.200
SPGRH 02/09	1.000 to 1.100
SPGRH 02/10	1.100 to 1.200
SPGRH 02/11	1.200 to 1.300
SPGRH 02/12	1.200 to 1.400
SPGRH 02/13	1.300 to 1.400
SPGRH 02/14	1.400 to 1.500
SPGRH 02/15	1.400 to 1.600
SPGRH 02/16	1.500 to 1.600
SPGRH 02/17	1.600 to 1.700
SPGRH 02/18	1.600 to 1.800
SPGRH 02/19	1.700 to 1.800
SPGRH 02/20	1.800 to 1.900
SPGRH 02/21	1.800 to 2.000
SPGRH 02/22	1.900 to 2.000

Twaddle Hydrometers

TWH 01

Cat. Ref.	Range	Twaddle Number
TWH 03/01	0 to 26	1
TWH 03/02	24 to 50	2
TWH 03/03	48 to 74	3
TWH 03/04	72 to 104	4
TWH 03/05	102 to 138	5
TWH 03/06	136 to 174	6

Alcoholmeters : Gay - Lussac, Graduated in Percentage of Alcohol by Volume
 Range : 0 to 100 % and 1% sub division.

ALCH 01

Cat. Ref.
ALCH 01



Contact for any type of
Custom Glass Fabrication





sabar scientific
ISO 9001 : 2008 CERTIFIED

LABORATORY EQUIPMENTS AND CONSUMABLES... AVAILABLE...

- MAGNETIC STIRRER
- OVERHEAD STIRRERS
- GEARED AND DIRECT DRIVE STIRRERS
- WATER BATHS
- HOT PLATE
- HOT – AIR OVEN
- LAB. INCUBATOR
- MUFFLE FURNACE
- CHILLER – CIRCULATOR BATH
- HOT WATER / HOT OIL CIRCULATOR BATH
- HEATING TAPE / CARTRIDGE HEATERS
- VACUUM OVEN
- VACUUM PUMP
- DIGITAL TEMP. INDICATORS
- LAB. PLASTICWARE
- MICRO PIPETTES AND MICRO TIPS
- TOUGHENED GLASSES
- TANK LEVEL INDICATORS
- GLASS TUBE / METAL TUBE ROTAMETERS
- SILICON TUBING
- WEIGHING BALANCES
- GLASS BEADS
- DESIGNER AND DECORATIVE GLASS ARTICLES
- SABARLIGHT – CANDLES AND CANDLE HOLDERS
- FILTER PAPERS
- TEST SIEVES
- SIEVE SHAKER
- INDIAN (Neutral) GLASSWARE
- DRY & WET THERMOMETERS
- pH METER
- MELTING POINT APPARATUS
- C.O.D.DIGESTOR APPARATUS
- LAB. AUTOCLAVE
- U.V.INSPECTION CABINET
- KJELDHAL DIGESTION AND DISTILLATION SET UP
- ROTARY FLASK SHAKER

**PRICE
ON REQUEST**



sabar scientific
ISO 9001 : 2008 CERTIFIED

Bridging the gap between Theory & Practical.

153








sabar scientific
ISO 9001 : 2008 CERTIFIED

COMPANY REGISTRATION DETAILS

- **VAT TIN** : 24075600752, Dt. 30.09.2005
CST TIN : 24575600752, Dt. 01.10.2005
- **MSME Registration No.** : 24 – 007 – 11 - 00426
S.S.I. Registration No. : 04/01/11603/PMT/SSI 3274, Dt. 10.11.1981
- **IEC Code No.** : 0802013082
- **PAN** : ADKPB8899B

TERMS & CONDITIONS

- ERRORS AND OMISSIONS ARE ACCEPTED.
- The rates mentioned in the Price list are in INR, Ex – our factory, and are exclusive of VAT / CST / any other Taxes. Packing, Forwarding, Freight and any other Incidental expenses will be charged Extra at actual.
- **Packing** : Standard routine packing is provided. Transport worthy / Export Packing will be charged Extra at actual.
- **Delivery** : Within shortest possible time, depending on the order quantity.
- **Inspection** : The material can be inspected at our premises, before dispatch at buyer's cost.
- **Insurance** : To buyer's account – to be arranged by buyer. Necessary Transit Forms / Challans / Permits to be sent in advance before dispatch. Subject to Ahmedabad Jurisdiction.





sabar scientific





ROTARY VACUUM EVAPORATOR



FOR INQUIRY: ☎ +91 98250 23602 ✉ sales@sabarscientific.com

www.sabarscientific.com

PILOT PLANTS





VOLUMETRIC GLASSWARE


CONFORMING TO
CLASS 'A'

As per I.S.

- Volumetric Flasks
- Measuring Cylinders
- Graduated Pipettes
- Volumetric Pipettes
- Burettes
- Auto Zero Burettes



sabar scientific




Accurate Reliable Reasonable

Equipments used for calibration have tracability to National Standards.

▶▶ Volumetric Flasks conforming to **USP Tolerances** Available

Glass Vials





SABARLIGHT

Glass-shell candles & decorative candle holders



expanding horizons to new areas...

अखंडदीप

Transparency added to Spirituality...
innovatively

The Oil container (Oil Reservoir) Capacity can be 500 ml. and 1000 ml., which can be designed to any capacity as per customer requirement. The Main advantage / Plus point of our **Akhand Deep** is that **ONE CAN RE-FILL THE OIL RESERVOIR, WITHOUT DISTURBING THE DEEP JYOT.** Which proves the **DEEP** in real sense an **AKHAND DEEP.**



॥ शुभं करोति कल्याणं आरोग्यं धन संपदा, शत्रुबुद्धी विनाशाय दीप - ज्योति नमोस्तुते ॥



sabar scientific

I – 148 / B, Phase II, G.I.D.C. Estate,
Vatva, Ahmedabad – 382 445. INDIA.

Phone : + 91 – 79 – 6542 1385, 6546 9767

Cell : +91 98250 23602

E-mail : sales@sabarscientific.com - habhise@gmail.com

Skype : sabar.harish

www.sabarscientific.com

Bridging the gap between Theory & Practical